



STIC Search Report

EIC 1700

STIC Database Tracking Number: 130568

TO: Vickey Ronesi
Location: REM 10D24
Art Unit : 1714
September 1, 2004

Case Serial Number:
PCT/US04/01480

From: Kathleen Fuller
Location: EIC 1700
REMSSEN 4B28
Phone: 571/272-2505
Kathleen.Fuller@uspto.gov

Search Notes



STIC Search Results Feedback Form

EIC17000

Questions about the scope or the results of the search? Contact *the EIC searcher* or contact:

Kathleen Fuller, EIC 1700 Team Leader
571/272-2505 REMSEN 4B28

Voluntary Results Feedback Form

- I am an examiner in Workgroup: Example: 1713
➤ Relevant prior art **found**, search results used as follows:

- ☐ 102 rejection
- ☐ 103 rejection
- ☐ Cited as being of interest.
- ☐ Helped examiner better understand the invention.
- ☐ Helped examiner better understand the state of the art in their technology.

Types of relevant prior art found:

- ☐ Foreign Patent(s)
- ☐ Non-Patent Literature
(journal articles, conference proceedings, new product announcements etc.)

➤ Relevant prior art **not found**:

- ☐ Results verified the lack of relevant prior art (helped determine patentability).
- ☐ Results were not useful in determining patentability or understanding the invention.

Comments:

Drop off or send completed forms to EIC1700 REMSEN 4B28



[Home](#) [Index](#) [Resources](#) [Contact](#) [Intranet](#) [Search](#)**Scientific and Technical Information Center****Patent Intranet > NPL Virtual Library > Request a Search**[Patents Home](#) | [Site Feedback](#)[NPL Virtual Library Home](#) | [STIC Catalog](#) | [Site Guide](#) | [EIC](#) | [Automation Training/ITRPs](#) | [Contact Us](#) | [STIC Staff](#) | [FAQ](#)

130808

Request a SearchSCIENTIFIC REFERENCE BR
Sci. & Tech. Info. Cntr

AUG 24

Search requests relating to **published applications, patent families, and litigation** may be submitted by filling out this form and clicking on "Send Pat. & T.M. Office"

For all other search requests, fill out the form, print, and submit the printout with any attachments to the STIC facility serving your Technology Center.

Tech Center:

- ☐ TC 1600 ☒ TC 1700 ☐ TC 2100 ☐ TC 2600 ☐ TC 2800
☐ TC2900 ☐ TC 3600 ☐ TC 3700 ☐ Law Lib ☐ Other

Enter your Contact Information below:Name: Employee Number: Phone: Art Unit or Office: Building & Room Number: **Enter the case serial number (Required):**

If not related to a patent application, please enter NA here.

Class / Subclass(es) Earliest Priority Filing Date: **Format preferred for results:**☒ Paper ☐ Diskette ☐ E-mail**Provide detailed information on your search topic:**

- In your own words, describe in detail the concepts or subjects you want us to search.
- Include synonyms, keywords, and acronyms. Define terms that have special meanings.
- *For Chemical Structure Searches Only*
Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers
- *For Sequence Searches Only*
Include all pertinent information (parent, child, divisional, or issued patent numbers) along with

=> file reg

FILE 'REGISTRY' ENTERED AT 12:13:02 ON 01 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 30 AUG 2004 HIGHEST RN 736108-36-4
DICTIONARY FILE UPDATES: 30 AUG 2004 HIGHEST RN 736108-36-4

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> file hcaplus

FILE 'HCAPLUS' ENTERED AT 12:13:07 ON 01 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)





Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
the American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 1 Sep 2004 VOL 141 ISS 10
FILE LAST UPDATED: 31 Aug 2004 (20040831/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> d que

L5	SCR 2043
L7	SCR 1918
L9	STR



query for claim 116 + 14

VAR G1=5/7/10/17
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

675 polymers

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 20

*232 polymers
limited to Ti or
Zn*

STEREO ATTRIBUTES: NONE

L12 675 SEA FILE=REGISTRY SSS FUL L9 AND L5 AND L7
L13 232 SEA FILE=REGISTRY ABB=ON L12 AND 1-2/TI,ZR
L14 0 SEA FILE=REGISTRY ABB=ON L12 AND 1-2/HF
L15 232 SEA FILE=REGISTRY ABB=ON L13 OR L14
L16 111 SEA FILE=HCAPLUS ABB=ON L15
L19 10 SEA FILE=REGISTRY ABB=ON (13463-67-7/BI OR 141-97-9/BI OR
161457-07-4/BI OR 25119-62-4/BI OR 25322-68-3/BI OR 25791-96-2/
BI OR 27901-88-8/BI OR 31694-55-0/BI OR 42503-45-7/BI OR
9051-49-4/BI)
L20 8 SEA FILE=REGISTRY ABB=ON L19 AND PMS/CI
L21 7 SEA FILE=REGISTRY ABB=ON L20 NOT 1/TI
L22 2 SEA FILE=REGISTRY ABB=ON L19 NOT L20
L23 1 SEA FILE=REGISTRY ABB=ON L22 NOT 1/TI
L24 9894 SEA FILE=HCAPLUS ABB=ON L23
L25 4 SEA FILE=HCAPLUS ABB=ON L16 AND L24
L26 78771 SEA FILE=HCAPLUS ABB=ON L21
L27 1 SEA FILE=HCAPLUS ABB=ON L16 AND L26
L28 4 SEA FILE=HCAPLUS ABB=ON L15/DP
L29 61 SEA FILE=HCAPLUS ABB=ON L16(L) (PREP OR IMF OR SPN)/RL
L30 17 SEA FILE=HCAPLUS ABB=ON L29 AND COATING?/SC,SX,AB,BI
L31 6 SEA FILE=HCAPLUS ABB=ON L30 NOT (SI OR ?SILOX? OR ?SILAN? OR
?SILYL? OR ?SILICON? OR SI)
L32 36 SEA FILE=HCAPLUS ABB=ON L29 NOT (SI OR ?SILOX? OR ?SILAN? OR
?SILYL? OR ?SILICON?)
L33 4 SEA FILE=HCAPLUS ABB=ON L29 AND ?OLIGOM?
L34 42 SEA FILE=HCAPLUS ABB=ON L25 OR L27 OR L28 OR L31 OR L32 OR
L33

42 CA references - limited only by preparation

=> d l34 bib abs ind hitstr

L34 ANSWER 1 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 2004:633958 HCAPLUS
DN 141:158645

TI Hybrid organic-inorganic polymer coatings with high refractive indices for optical devices
 IN Flaim, Tony D.; Wang, Yubao; Mercado, Ramil-Marcelo L.
 PA Brewer Science, Inc., USA
 SO PCT Int. Appl., 34 pp.
 CODEN: PIXXD2


applicant

DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004065428	A2	20040805	<u>WO 2004-US1480</u>	20040116
	W: AE, AE, AG, AL, AL, AM, AM, AM, AT, AT, AU, AZ, AZ, BA, BB, BG, BG, BR, BR, BW, BY, BY, BZ, BZ, CA, CH, CN, CN, CO, CO, CR, CR, CU, CU, CZ, CZ, DE, DE, DK, DK, DM, DZ, EC, EE, EE, EG, ES, ES, FI, FI, GB, GD, GE, GE, GH, GM, HR, HR, HU, HU, ID, IL, IN, IS, JP, JP, KE, KE, KG, KG, KP, KP, KR, KR, KZ, KZ, KZ, LC, LK, LR, LS, LS, LT, LU, LV, MA, MD, MD, MG, MK, MN, MW, MX, MX, MZ, MZ, NA, NI				
PRAI	US 2003-441693P	P	20030121		
	US 2004-758503	A	20040115		
AB	The composition comprises an organometallic oligomer -[M(R1)(R1)O] _n - (n >2; M = Group 3-5 and 13-15 metal other than silicone with combining valence >+2; R1 = organic moiety), such as β-diketonate-chelated organometallic oligomer prepared from poly(di-Bu titanate) and Et acetoacetate, dispersed or dissolved in a solvent system; and an organic polymer or oligomer with weight average mol. weight ≥150 g/mol containing a functional group operable to form a covalent or coordinate-covalent bond with the organometallic oligomer , such as SAA 101 (styrene-allyl alc.). The compns. have long shelf lives and can be prepared by easy and reliable preparation procedures. The compns. can be cured to cause conversion of the compns. into films of metal oxide inter dispersed with organic polymer or oligomer . The cured films have high refractive indexes, high optical charities, and good mech. stabilities at film thickness >1 μm.				
IC	ICM C08F				
CC	42-10 (Coatings, Inks, and Related Products)				
	Section cross-reference(s): 73				
ST	hybrid org inorg polymer coating optical device; refractive index org inorg polymer coating				
IT	Optical imaging devices (flat panels; hybrid organic-inorg. polymer coatings with high refractive indexes for optical devices)				
IT	Coating materials Electroluminescent devices Hybrid organic-inorganic materials Optical instruments Optical integrated circuits Optical sensors (hybrid organic-inorg. polymer coatings with high refractive indexes for optical devices)				
IT	Oxides (inorganic), uses RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (hybrid organic-inorg. polymer coatings with high refractive indexes for optical devices)				
IT	Polyoxyalkylenes, uses RL: TEM (Technical or engineered material use); USES (Uses)				

- (hybrid organic-inorg. polymer coatings with high refractive indexes for optical devices)
- IT 141-97-9DP, Ethyl acetoacetate, reaction products with poly(di-Bu titanate) 13463-67-7P, Titana, uses 27901-88-8DP, 2-Acetoacetoxyethyl methacrylate-methyl methacrylate copolymer, reaction products with poly(di-Bu titanate) 161457-07-4DP, reaction products with Et acetoacetate or acrylic copolymers
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (hybrid organic-inorg. polymer coatings with high refractive indexes for optical devices)
- IT 9051-49-4, Propoxylated pentaerythritol 25119-62-4, SAA 101 25322-68-3, Polyethylene glycol 25791-96-2, Propoxylated glycerol 31694-55-0, Ethoxylated glycerol 42503-45-7, Ethoxylated pentaerythritol
 RL: TEM (Technical or engineered material use); USES (Uses)
 (hybrid organic-inorg. polymer coatings with high refractive indexes for optical devices)
- IT 141-97-9DP, Ethyl acetoacetate, reaction products with poly(di-Bu titanate) 27901-88-8DP, 2-Acetoacetoxyethyl methacrylate-methyl methacrylate copolymer, reaction products with poly(di-Bu titanate) 161457-07-4DP, reaction products with Et acetoacetate or acrylic copolymers
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (hybrid organic-inorg. polymer coatings with high refractive indexes for optical devices)
- RN 141-97-9 HCAPLUS
 CN Butanoic acid, 3-oxo-, ethyl ester (9CI) (CA INDEX NAME)


*derivative
preparation
of the
starting
Ti
Compound*



- RN 27901-88-8 HCAPLUS
 CN Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester, polymer with methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)


CM 1

CRN 21282-97-3
 CMF C10 H14 O5




CM 2


CRN 80-62-6
 CMF C5 H8 O2




RN 161457-07-4 HCAPLUS
 CN Titanium, dibutoxydihydroxy-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)
 CM 1
 CRN 14531-96-5
 CMF C8 H20 O4 Ti



IT 9051-49-4, Propoxylated pentaerythritol 25119-62-4, SAA
 101 25322-68-3, Polyethylene glycol 25791-96-2,
 Propoxylated glycerol 31694-55-0, Ethoxylated glycerol
 42503-45-7, Ethoxylated pentaerythritol
 RL: TEM (Technical or engineered material use); USES (Uses)
 (hybrid organic-inorg. polymer coatings with high refractive indexes for
 optical devices)
 RN 9051-49-4 HCAPLUS
 CN Poly[oxy(methyl-1,2-ethanediyl)], α -hydro- ω -hydroxy-, ether
 with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1) (9CI) (CA INDEX NAME)




RN 25119-62-4 HCAPLUS
 CN 2-Propen-1-ol, polymer with ethenylbenzene (9CI) (CA INDEX NAME)
 CM 1
 CRN 107-18-6
 CMF C3 H6 O



CM 2


CRN 100-42-5

CMF C8 H8




RN 25322-68-3 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- (9CI) (CA INDEX NAME)




RN 25791-96-2 HCAPLUS

CN Poly[oxy(methyl-1,2-ethanediyl)], $\alpha, \alpha', \alpha''$ -1,2,3-propanetriyltris[ω -hydroxy- (9CI) (CA INDEX NAME)]




RN 31694-55-0 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), $\alpha, \alpha', \alpha''$ -1,2,3-propanetriyltris[ω -hydroxy- (9CI) (CA INDEX NAME)]



RN 42503-45-7 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1) (9CI) (CA INDEX NAME)



=> d 134 bib abs ind hitstr 2-42

L34 ANSWER 2 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 2004:391349 HCAPLUS
 DN 140:392063
 TI Heat-resistant thermosetting resin compositions and cured products of them
 IN Ito, Masayuki; Suga, Yasuhiro
 PA Aisin Seiki Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 8 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2004137376	A2	20040513	JP 2002-303424	20021017
PRAI	JP 2002-303424		20021017		

AB The compns., useful for friction materials, comprise novolaks, bis(o-hydroxyphenyl)pyromellitidiimide (I), and hexamethylenetetramine (II). The cured products are based on phenol and I units and linked by methylene, CH₂OCH₂, CH₂NR"CH₂, OMX_n-2R_mO, and/or OM(OR)_n-2R'_mO (R, R' = ClH₂l+1; l = 1-6; R" = H, CH₂) groups between phenol units, I units, and phenol and I units. Thus, phenol 500, I (prepared from o-aminophenol and pyromellitic dianhydride) 50, and paraformaldehyde 67.2 g were mixed, heated to 120°, cooled, mixed with 177.3 g of 36% aqueous HCHO solution and 5 g oxalic acid, refluxed for 3 h, and freed of H₂O and free phenol under reduced pressure to give a novolak, 90 parts of which was kneaded with 10 parts II, crushed, hot-pressed, and heated to 160-200° to give a cured product showing decomposition temperature 533° in N and 542° in air.

IC ICM C08L061-14
 ICS C08K005-3415; C08K005-3477

CC 38-3 (Plastics Fabrication and Uses)

ST heat resistance novolak hydroxyphenylpyromellitimide

IT Heat-resistant materials
 (heat-resistant novolak compns. containing bis(hydroxyphenyl)pyromellitimide units)


IT Polyimides, properties
 RL: IMF (Industrial manufacture); PRP (Properties); PREP (Preparation)
 (phenolic; heat-resistant novolak compns. containing bis(hydroxyphenyl)pyromellitimide units)

IT Phenolic resins, properties
 RL: IMF (Industrial manufacture); PRP (Properties); PREP (Preparation)
 (polyimide-; heat-resistant novolak compns. containing

IT bis(hydroxyphenyl)pyromellitimide units)
 686342-42-7P **686342-43-8P**
 RL: IMF (Industrial manufacture); PRP (Properties); **PREP**
(Preparation)
 (heat-resistant novolak compns. containing bis(hydroxyphenyl)pyromellitimide units)
 IT 31664-79-6P 686342-41-6P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT
 (Reactant or reagent)
 (heat-resistant novolak compns. containing bis(hydroxyphenyl)pyromellitimide units)
 IT 89-32-7, Pyromellitic dianhydride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with aminophenol)
 IT 95-55-6, o-Aminophenol
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with pyromellitic dianhydride)
 IT **686342-43-8P**
 RL: IMF (Industrial manufacture); PRP (Properties); **PREP**
(Preparation)
 (heat-resistant novolak compns. containing bis(hydroxyphenyl)pyromellitimide units)
 RN 686342-43-8 HCAPLUS
 CN Titanium, [μ -[2,6-bis[2-(hydroxy- κ O)phenyl]benzo[1,2-c:4,5-c']dipyrrole-1,3,5,7(2H,6H)-tetronato(2-)]hexakis(2-propanolato)di-, polymer with formaldehyde, phenol and 1,3,5,7-tetraazatricyclo[3.3.1.1^{3,7}]decane (9CI) (CA INDEX NAME)


CM 1

CRN 686342-41-6
 CMF C40 H52 N2 O12 Ti2




CM 2

CRN 108-95-2
 CMF C6 H6 O




CM 3

CRN 100-97-0
CMF C6 H12 N4



CM 4

CRN 50-00-0
CMF C H2 O



L34 ANSWER 3 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 2004:310850 HCAPLUS
DN 140:340100
TI Curable adhesive compositions containing maleimide-multifunctional thiol
oligomers suitable for optical applications
IN Shustack, Paul J.
PA USA
SO U.S. Pat. Appl. Publ., 14 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004072933	A1	20040415	US 2002-253623	20020923
PRAI	US 2002-253623		20020923		

AB A composition suitable for use as an adhesive or coating comprises (a) at least one polymerizable component curable by actinic radiation or electron beam radiation, (b) at least one multifunctional thiol of the general formula $\text{R}-(\text{SH})_n$, where R is any organic functional group excluding polyesters, polysulfides, mercaptoesters and carbon-carbon double bonds., and (c) optionally, a viscosity reducing polymerizable component. The composition can be used as adhesion promoter and/or primer to enhance adhesion of photo- or electron beam-curable polymers, coatings, adhesives, or sealants to

gold, other precious metals, and their alloys. The resulting cured compns. are optically clear, have low Tg ($\leq 30^\circ$), high refractive index (> 1.50 at 1541 nm), thermally, oxidatively, and hydrolytically stable. The adhesive compns. containing such multifunctional thiols can survive, without delamination or separation, testing conditions of 85° and 85% relative humidity for time in excess of 500 h. Thus, an adhesive composition comprising 69.0% of an **oligomer** of 4,4'-dimercaptodiphenyl sulfide and a bismaleimide of a C36-alkylene diamine (QMI 501), 23.0% of ethoxylated nonylphenol acrylate (Aronix M-111), 4.0% of Irgacure 1850, 3.0% of 3-mercaptopropyltrimethoxysilane (Silquest A-189), and 1.0% of Irganox 1035 antioxidant was produced.

- IC ICM C08G002-00
- NCL 524280000
- CC 37-3 (Plastics Manufacture and Processing)
Section cross-reference(s): 73
- ST maleimide polythiol acrylate curable adhesive compn optical application
- IT Fluoropolymers, uses
RL: TEM (Technical or engineered material use); USES (Uses)
(acrylate-containing; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Epoxy resins, uses
Polyesters, uses
Polyethers, uses
Polysiloxanes, uses
Polyurethanes, uses
RL: TEM (Technical or engineered material use); USES (Uses)
(acrylates; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Glass, uses
Metals, uses
Noble metals
RL: DEV (Device component use); USES (Uses)
(adhesives for; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Adhesion promoters
Adhesives
Coating materials
Optical films
Optical instruments
(curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Macromonomers
RL: RCT (Reactant); TEM (Technical or engineered material use); RACT (Réactant or reagent); USES (Uses)
(curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Epoxy resins, uses
Polythioethers
RL: TEM (Technical or engineered material use); USES (Uses)
(curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Polymerization
(photopolymn.; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Polythioethers
RL: DEV (Device component use); IMF (Industrial manufacture); PRP

- (Properties); PREP (Preparation); USES (Uses)
 (polyether-polyimide-, bismaleimide-based, acrylic; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Polyimides, preparation
 RL: DEV (Device component use); IMF (Industrial manufacture); PRP (Properties); PREP (Preparation); USES (Uses)
 (polyether-polythioether-, bismaleimide-based, acrylic; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Polythioethers
 RL: DEV (Device component use); IMF (Industrial manufacture); PRP (Properties); PREP (Preparation); USES (Uses)
 (polyimide-, bismaleimide-based, acrylic; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Polyethers, preparation
 RL: DEV (Device component use); IMF (Industrial manufacture); PRP (Properties); PREP (Preparation); USES (Uses)
 (polyimide-polythioether-, bismaleimide-based, acrylic; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Polyimides, preparation
 RL: DEV (Device component use); IMF (Industrial manufacture); PRP (Properties); PREP (Preparation); USES (Uses)
 (polythioether-, bismaleimide-based, acrylic; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Thiols (organic), uses
 RL: TEM (Technical or engineered material use); USES (Uses)
 (polythiols; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Polymerization
 (radiochem.; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT Polyethers, uses
 Polyoxyalkylenes, uses
 Polyurethanes, uses
 RL: TEM (Technical or engineered material use); USES (Uses)
 (thiol-terminated; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT 7440-02-0, Nickel, uses 7440-50-8, Copper, uses 7440-57-5, Gold, uses
 RL: DEV (Device component use); USES (Uses)
 (adhesives for; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT **679812-56-7P**
 RL: DEV (Device component use); IMF (Industrial manufacture); PREP (Preparation); USES (Uses)
 (curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT 679411-06-4P 679812-51-2P 679812-53-4P 679812-54-5P 679812-55-6P
 RL: DEV (Device component use); IMF (Industrial manufacture); PRP (Properties); PREP (Preparation); USES (Uses)
 (curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)
- IT 48145-04-6, 2-Phenoxyethyl acrylate 50974-47-5, Ethoxylated nonylphenol acrylate

RL: RCT (Reactant); TEM (Technical or engineered material use); RACT (Reactant or reagent); USES (Uses)

(curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)

IT 79-10-7D, Acrylic acid, esters and thioesters 79-41-4D, Methacrylic acid, esters and thioesters 97-65-4D, Itaconic acid, esters 105-09-9, 1,4-Benzenedimethanethiol 541-59-3D, Maleimide, derivs. 624-39-5, p-Benzenedithiol 626-04-0, m-Benzenedithiol 2399-48-6, Tetrahydrofurfuryl acrylate 2495-35-4, Benzyl acrylate 2495-37-6, Benzyl methacrylate 3570-55-6, 2-Mercaptoethyl sulfide 3724-65-0D, Crotonic acid, esters 4720-60-9, Pentaerythrityl tetramercaptan 5888-33-5, Isobornyl acrylate 12542-30-2, Dicyclopentenyl acrylate 14970-87-7, Triethylene glycol dimercaptan 17534-15-5, o-Benzenedithiol 19362-77-7, 4,4'-Thiobisbenzenethiol 41383-84-0, 1,2-Benzenedimethanethiol 41563-69-3, 1,3-Benzenedimethanethiol 68169-12-0, Dicyclopentenyl oxyethyl acrylate 71926-19-7 101359-87-9, Capcure 3-800 149303-87-7 288621-94-3 679411-04-2 679796-58-8 679804-71-8, Capcure LOF

RL: TEM (Technical or engineered material use); USES (Uses)

(curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)

IT 679411-05-3P 679812-50-1P 679812-52-3P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(**oligomeric**; curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)

IT 679812-56-7P

RL: DEV (Device component use); IMF (Industrial manufacture);

PREP (Preparation); USES (Uses)

(curable adhesive compns. containing maleimide-multifunctional thiol **oligomers** suitable for optical applications)

RN 679812-56-7 HCAPLUS

CN Titanate(2-), tetrakis[2,2-bis[(2-propenyloxy)methyl]-1-butanolato-κO]bis(ditridecyl phosphito-κO')-, dihydrogen, polymer with OMI 501, 2-phenoxyethyl 2-propenoate and 2,2'-thiobis[ethanethiol] (9CI) (CA INDEX NAME)

CM 1

CRN 679812-42-1

CMF Unspecified

CCI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***



CM 2

CRN 64157-14-8


CMF C100 H192 O18 P2 Ti . 2 H

CCI CCS

PAGE 1-A



PAGE 2-A




● 2 H⁺

CM 3

CRN 48145-04-6

CMF C11 H12 O3



CM 4

CRN 3570-55-6

CMF C4 H10 S3

HS-CH₂-CH₂-S-CH₂-CH₂-SH

L34 ANSWER 4 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2004:307545 HCAPLUS

DN 140:347541

TI Correction liquid containing metal-containing polymer for lithography printing plate

IN Okamoto, Yasuo

PA Fuji Photo Film Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 43 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2004114360	A2	20040415	JP 2002-277849	20020924
PRAI	JP 2002-277849		20020924		
AB	The correction liquid contains metal-containing polymer with partial structure NCH ₂ RO (R0 = PO ₃ H ₂ , OPO ₃ H ₂ or their salt). Desired image area can be erased rapidly without bad effect to other image area and stain.				
IC	ICM B41N003-00				
	ICS G03F007-00				
CC	74-6 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)				
	Section cross-reference(s): 38				
ST	lithog plate correction liq metal polymer				
IT	Lithographic plates				
	(correction liquid containing metal-containing polymer for lithog. printing plate)				
IT	Silsesquioxanes				
	RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)				
	(reaction products with phosphonic acid and formaldehyde; correction liquid containing metal-containing polymer for lithog. printing plate)				
IT	50-00-ODP, Formaldehyde, reaction products with amonopropyltriethoxysilane polymer 13598-36-2DP, Phosphonic acid, reaction products with amonopropyltriethoxysilane polymer 29159-37-3DP, 3-Aminopropyltriethoxysilane homopolymer, reaction products with phosphonic acid and formaldehyde 160314-79-4DP, reaction products with phosphonic acid and formaldehyde 170632-79-8DP, 3-Aminopropyltriethoxysilane-tetramethoxysilane copolymer, reaction products with phosphonic acid and formaldehyde 287184-58-1DP, reaction products with phosphonic acid and formaldehyde 679817-61-9DP, reaction products with phosphonic acid and formaldehyde 679817-62-0DP, reaction products with phosphonic acid and formaldehyde 679835-15-5DP, reaction products with phosphonic acid and formaldehyde 679835-17-7DP, reaction products with phosphonic acid and formaldehyde 679835-18-8DP, reaction products with phosphonic acid and formaldehyde				
	RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)				
	(correction liquid containing metal-containing polymer for lithog. printing plate)				
IT	679835-17-7DP, reaction products with phosphonic acid and formaldehyde				
	RL: IMF (Industrial manufacture); TEM (Technical or engineered material				

use); PREP (Preparation); USES (Uses)
(correction liquid containing metal-containing polymer for lithog. printing plate)


RN 679835-17-7 HCAPLUS

CN Titanium, (3-aminopropyl)trimethoxy-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 679835-16-6

CMF C6 H17 N O3 Ti



L34 ANSWER 5 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2003:1007696 HCAPLUS

DN 140:50322

TI Developer-soluble metal alkoxide **coatings** for microelectronic applications

IN Krishnamurthy, Vandana; Neef, Charles J.; Snook, Juliet A. M.

PA Brewer Science, Inc., USA

SO U.S. Pat. Appl. Publ., 9 pp.


CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2003235786	A1	20031225	US 2002-180625	<u>20020625</u>
	US 6740469	B2	20040525		
	WO 2004001502	A1	20031231	WO 2003-US19457	20030618
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	US 2002-180625	A	20020625		
GI					



I

- AB Antireflective compns. and methods of using these compns. to form circuits are provided. The compns. comprise a polymer dissolved or dispersed in a solvent system. In a preferred embodiment, the polymers of the composition include recurring units having the formula I (X = light attenuating moiety; M = a metal; R = H, alkyls, aryls, alkoxys, phenoxys). The resulting compns. are spin bowl compatible (i.e., they do not crosslink prior to the bake stages of the microlithog. processes or during storage at room temperature), are wet developable, and have superior optical properties.
- IC ICM G03F007-30
ICS G03F007-38; G03F007-11; B32B009-00; B32B019-00; C08G063-48; C08L071-12; B05D005-12; B05D003-02; B05D003-12
- NCL 430272100; 430271100; 430325000; 430311000; 430935000; 427096000; 427097000; 427240000; 427385500; 427387000
- CC 74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
Section cross-reference(s): 76
- ST developer soluble metal alkoxide microelectronic photolithog antireflective **coating**
- IT Antireflective films
Microelectronics
(developer-soluble metal alkoxide **coatings** for microelectronic applications)
- IT Photolithography
(vacuum UV; developer-soluble metal alkoxide **coatings** for microelectronic applications)
- IT 121-33-5DP, Vanillin, reaction product with Titanium diisopropoxide bis(ethylacetoacetate) **141-97-9DP**, Ethyl acetoacetate, reaction product with poly(dibutyltitanate) and Trimethylolethoxylate or Cyano-(hydroxyphenyl)-acrylic acid Et ester 6935-44-0DP, reaction product with poly(dibutyltitanate) 95461-66-8DP, reaction product with poly(dibutyltitanate) **161457-07-4DP**, reaction product with Et acetoacetate and Trimethylolethoxylate or Cyano-(hydroxyphenyl)-acrylic acid Et ester 637030-07-0DP, reaction product with Cyano-(hydroxyphenyl)-acrylic acid Et ester 637030-08-1DP, reaction product with vanillin
RL: **SPN (Synthetic preparation)**; TEM (Technical or engineered material use); **PREP (Preparation)**; USES (Uses)
(antireflective **coating**; developer-soluble metal alkoxide **coatings** for microelectronic applications)
- IT 75-59-2, Tetramethyl ammonium hydroxide
RL: TEM (Technical or engineered material use); USES (Uses)
(developer; developer-soluble metal alkoxide **coatings** for microelectronic applications)
- IT 84540-57-8, Propylene glycol methyl ether acetate
RL: TEM (Technical or engineered material use); USES (Uses)


(solvent; developer-soluble metal alkoxide **coatings** for microelectronic applications)

IT **141-97-9DP**, Ethyl acetoacetate, reaction product with poly(dibutyltitanate) and Trimethylolethoxylate or Cyano-(hydroxyphenyl)-acrylic acid Et ester **161457-07-4DP**, reaction product with Et acetoacetate and Trimethylolethoxylate or Cyano-(hydroxyphenyl)-acrylic acid Et ester

RL: **SPN (Synthetic preparation)**; TEM (Technical or engineered material use); **PREP (Preparation)**; USES (Uses) (antireflective **coating**; developer-soluble metal alkoxide **coatings** for microelectronic applications)

RN 141-97-9 HCAPLUS

CN Butanoic acid, 3-oxo-, ethyl ester (9CI) (CA INDEX NAME)




RN 161457-07-4 HCAPLUS

CN Titanium, dibutoxydihydroxy-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 14531-96-5

CMF C8 H20 O4 Ti



L34 ANSWER 6 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2003:800401 HCAPLUS

DN 140:112135

TI Formation of epoxide-titanium acylate polymers

AU Burdin, A. B.; Suvorov, A. L.; Sennikov, V. V.

CS Inst. Org. Sintez, UrO RAN, Yekaterinburg, Russia

SO Plasticheskie Massy (2003), (7), 27-29

CODEN: PLMSAI; ISSN: 0554-2901

PB ZAO NP "Plasticheskie Massy"


DT Journal

LA Russian

AB Kinetics of crosslinking of ED-20 epoxy resin with dibutoxy titanium bis(Bu succinate), dibutoxy titanium bis(Bu maleate), dibutoxy titanium bis(Bu o-phthalate), dibutoxy titanium bis(Bu cis-4-methyl-1,2,3,6-tetrahydrophthalate) was studied. The crosslinking agents were obtained by the reaction of tetrabutoxytitanium with the anhydrides of the corresponding acids. Chemical activities of the crosslinking agents were compared. 7358-82-9, Titanium, [(3-carboxyacryloyl)oxyl]triisopropoxy-, iso-Pr ester 7393-49-9, Titanium, acetoxyltributoxy- 7393-50-2, Titanium, tributoxy[(3-carboxyacryloyl)oxyl]-, Bu ester 7428-41-3, Titanium, dibutoxybis[(3-carboxyacryloyl)oxyl]-, di-Bu ester 100154-87-8, Titanium, [(o-carboxybenzoyl)oxyl]triisopropoxy-, iso-Pr ester 105792-45-8, Titanium,

CM 3


CRN 80-05-7
CMF C15 H16 O2



RN 344328-87-6 HCAPLUS
CN Titanium, dibutoxybis(butyl butanedioato-O)-, polymer with
(chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA
INDEX NAME)


CM 1

CRN 32673-51-1
CMF C24 H44 O10 Ti




CM 2

CRN 106-89-8
CMF C3 H5 Cl O



CM 3


CRN 80-05-7
CMF C15 H16 O2



RN 647376-64-5 HCAPLUS
 CN Titanium, dibutoxybis(monobutyl 1,2-benzenedicarboxylato- κ O2)-, (T-4)-, polymer with (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA INDEX NAME)


CM 1

CRN 32618-42-1
 CMF C32 H44 O10 Ti




CM 2

CRN 106-89-8
 CMF C3 H5 Cl O



CM 3


CRN 80-05-7
 CMF C15 H16 O2



RN 647842-09-9 HCAPLUS
 CN Titanium, rel-dibutoxybis[monobutyl (1R,2S)-4-methyl-4-cyclohexene-1,2-dicarboxylato]-, polymer with (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA INDEX NAME)


CM 1

CRN 106-89-8
 CMF C3 H5 Cl O



CM 2

CRN 80-05-7
CMF C15 H16 O2




CM 3

CRN 647842-08-8
CMF C34 H56 O10 Ti
CCI IDS

CM 4


CRN 14531-96-5
CMF C8 H20 O4 Ti



CM 5


CRN 1654-99-5
CMF C9 H12 O4

Relative stereochemistry.



CM 6

CRN 71-36-3
CMF C4 H10 O



L34 ANSWER 7 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2003:596669 HCAPLUS

DN 139:150765

TI Acetoacetate ester-containing vinyl alcohol polymer compositions with good storage stability and their uses

IN Hirai, Yoshiaki; Bandai, Shusaku; Nakai, Tatsuaki

PA Nippon Synthetic Chemical Industry Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2003221482	A2	20030805	JP 2002-20945	20020130
PRAI	JP 2002-20945		20020130		

AB The compns., useful for thermal recording media and jet-printing media, etc., comprise acetoacetate ester-containing vinyl alc. polymers and Ti compds. containing (RO)_nTi(OXNHYZ)_{4-n} or (RO)_nTi[OXN(YZ)₂]_{4-n} (R = Cl-6 alkyl; X, Y = Cl-6 alkylene; Z = OH, amino; n = 0, 1). Thus, a composition containing 400 parts acetoacetate ester-containing poly(vinyl alc.) (acetoacetate ester content 5 mol%) and 2 parts Plenact KR 44 [isopropyltris(N-aminoethylaminoethyl) titanate] was applied on a paper substrate and dried to give a jet-printing sheet with good water resistance.

IC ICM C08L029-04

ICS B41J002-01; B41M005-00; B41M005-26; C08K005-17

CC 38-3 (Plastics Fabrication and Uses)

Section cross-reference(s): 74

ST vinyl alc polymer acetoacetate titanate water resistance; thermal recording jet printing media PVA; isopropyl aminoethylaminoethyl titanate crosslinking agent PVA

IT Crosslinking agents

Ink-jet recording sheets

Water-resistant materials

(acetoacetate ester-containing vinyl alc. polymer compns. with good storage stability)

IT Recording materials

(thermal; acetoacetate ester-containing vinyl alc. polymer compns. with good storage stability)

IT 571178-43-3P, Poly(vinyl alcohol) acetoacetate-Plenact KR 44 copolymer

571178-44-4P, Isopropyltris[bis(N-hydroxyethyl)aminoethyl] titanate-poly(vinyl alcohol) acetoacetate copolymer

RL: **IMF (Industrial manufacture)**; TEM (Technical or engineered material use); **PREP (Preparation)**; USES (Uses)

(acetoacetate ester-containing vinyl alc. polymer compns. with good storage stability)

IT 65380-84-9, Plenact KR 44 571174-54-4

RL: RCT (Reactant); RACT (Reactant or reagent)

(crosslinking agent; acetoacetate ester-containing vinyl alc. polymer compns. with good storage stability)

IT **571178-44-4P**, Isopropyltris[bis(N-hydroxyethyl)aminoethyl] titanate-poly(vinyl alcohol) acetoacetate copolymer

RL: **IMF (Industrial manufacture)**; TEM (Technical or engineered material use); **PREP (Preparation)**; USES (Uses)
(acetoacetate ester-containing vinyl alc. polymer compns. with good storage stability)


RN 571178-44-4 HCAPLUS

CN Titanium, tris[2-[bis(2-hydroxyethyl)amino]ethanolato-κO](2-propanolato)-, (T-4)-, polymer with ethenol homopolymer 3-oxobutanoate (9CI) (CA INDEX NAME)

CM 1

CRN 571174-54-4

CMF C21 H49 N3 O10 Ti



CM 2


CRN 39290-68-1

CMF C4 H6 O3 . x (C2 H4 O)x

CM 3

CRN 541-50-4

CMF C4 H6 O3



CM 4

CRN 9002-89-5


CMF (C2 H4 O)x

CCI PMS

CM 5

CRN 557-75-5

CMF C2 H4 O




L34 ANSWER 8 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

AN 2002:815020 HCAPLUS
 DN 138:322161
 TI In Situ Processing of Nano Crystalline Oxide Particles/Polymer Hybrid
 AU Hirano, Shin-ichi; Yogo, Toshinobu; Sakamoto, Wataru; Yamada, Seiji;
 Nakamura, Tomoyuki; Yamamoto, Tomoe; Ukai, Hiroyuki; Banno, Kouichi;
 Nakafuku, Tomoko; Ando, Yukari
 CS Graduate School of Engineering, Department of Applied Chemistry, Nagoya
 University, Chikusa-ku, Nagoya, 464-8603, Japan
 SO Journal of Sol-Gel Science and Technology (2003), 26(1/2/3), 35-41
 CODEN: JSGTEC; ISSN: 0928-0707
 PB Kluwer Academic Publishers
 DT Journal; General Review
 LA English
 AB A review on preparation of nano sized crystalline magnetic or dielec.
 particles/iron
 tris(allylacetylacetonate) or methacryltrisisopropoxytitanium polymer
 hybrids from designed metal-organic precursors modified with polymerizable
 ligand by synthesis of organic matrix by polymerization and in situ nucleation
 and
 growth of crystalline oxide particles in the organic matrix below 100°C.
 CC 38-0 (Plastics Fabrication and Uses)
 Section cross-reference(s): 35, 77
 ST review cryst nanoparticle iron trisallylacetylacetonate polymer hybrid
 prepn; nanoparticle magnetic dielec methacryltrisisopropoxytitanium
 polymer review
 IT Vinyl compounds, properties
 RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
 (polymers; preparation and properties of nano sized crystalline magnetic or
 dielec. particles/allyl or methacrylate polymer hybrids)
 IT Hybrid organic-inorganic materials
 Nanoparticles
 (preparation and properties of nano sized crystalline magnetic or dielec.
 particles/allyl or methacrylate polymer hybrids)
 IT 163549-92-6P 174659-61-1P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP
 (Preparation)
 (preparation and properties of nano sized crystalline magnetic or dielec.
 particles/allyl or methacrylate polymer hybrids)
 IT 163549-92-6P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP
 (Preparation)
 (preparation and properties of nano sized crystalline magnetic or dielec.
 particles/allyl or methacrylate polymer hybrids)
 RN 163549-92-6 HCAPLUS
 CN Titanium, (2-methyl-2-propenoato-O)tris(2-propanolato)-, (T-4)-,
 homopolymer (9CI) (CA INDEX NAME)


CM. 1

CRN 18327-72-5
 CMF C13 H26 O5 Ti




RE.CNT 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT


L34 ANSWER 9 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 2002:559900 HCAPLUS
DN 137:270325
TI Novel spin bowl compatible, wet developable bottom anti-reflective coating
for i-line applications
AU Neef, Charles J.; Krishnamurthy, Vandana; Turner, Stephen R.
CS Brewer Science, Inc., Rolla, MO, 65401, USA
SO Polymeric Materials Science and Engineering (2002), 87, 199-200
CODEN: PMSE DG; ISSN: 0743-0515
PB American Chemical Society
DT Journal; (computer optical disk)
LA English
AB In this paper, the preparation and studies of a novel wet developable, spin
bowl compatible BARC derived from a titanium sol-gel material are
reported. This BARC shows good compatibility with resist solvents and
excellent photolithog. performance compared to previous work.
CC 74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other
Reprographic Processes)
Section cross-reference(s): 42
ST antireflective film coating i line photolithog titanate titanium solgel
IT Photolithography
(UV; spin bowl compatible, wet developable bottom anti-reflective
coating for i-line photolithog. derived from titanium sol-gel material)
IT Antireflective films
(spin bowl compatible, wet developable bottom anti-reflective coating
for i-line photolithog. derived from titanium sol-gel material)
IT 6935-44-0
RL: CPS (Chemical process); PEP (Physical, engineering or chemical
process); PROC (Process)
(CHAE; in bottom anti-reflective coating preparation)
IT 141-97-9 141-97-9D, reaction products with poly(di-Bu
titanate) 32458-00-7 32458-00-7D, reaction products
with Et acetoacetate
RL: RCT (Reactant); RACT (Reactant or reagent)
(in bottom anti-reflective coating preparation)
IT 462121-07-9, PFI 3488
RL: TEM (Technical or engineered material use); USES (Uses)
(spin bowl compatible, wet developable bottom anti-reflective coating
for i-line photolithog. derived from titanium sol-gel material)
IT 141-97-9 141-97-9D, reaction products with poly(di-Bu
titanate) 32458-00-7 32458-00-7D, reaction products
with Et acetoacetate
RL: RCT (Reactant); RACT (Reactant or reagent)
(in bottom anti-reflective coating preparation)
RN 141-97-9 HCAPLUS
CN Butanoic acid, 3-oxo-, ethyl ester (9CI) (CA INDEX NAME)




RN 141-97-9 HCAPLUS
CN Butanoic acid, 3-oxo-, ethyl ester (9CI) (CA INDEX NAME)



RN 32458-00-7 HCAPLUS
 CN Titanium, dibutoxyoxo-, homopolymer (9CI) (CA INDEX NAME)
 CM 1
 CRN 30860-71-0
 CMF C8 H18 O3 Ti



RN 32458-00-7 HCAPLUS
 CN Titanium, dibutoxyoxo-, homopolymer (9CI) (CA INDEX NAME)
 CM 1
 CRN 30860-71-0
 CMF C8 H18 O3 Ti



RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L34 ANSWER 10 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 2001:745616 HCAPLUS
 DN 135:306203
 TI Sulfonic acid group-containing polymer, proton-conducting polymer
 electrolyte, and fuel cell using it
 IN Nakano, Yoshihiko; Akasaka, Yoshihiro; Ozu, Hideyuki; Tomimatsu, Morohiro;
 Takashita, Masahiro; Yasuda, Kazuhiro; Kakuno, Hiroyasu; Yonetsu, Maki;
 Hayase, Shuji
 PA Toshiba Corp., Japan
 SO Jpn. Kokai Tokkyo Koho, 13 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 2001283635	A2	20011012	JP 2000-159175	20000331
PRAI	JP 2000-159175		20000331		
AB	Claimed polymer has repeating units CR1R2CR3AX and CR4R5CR6BSi(OR7)3 (X = SO2Y or SO3Z; R1-R7 = hydrocarbyl, H, halo; A = valence or divalent organic group free from benzene ring; B = valence or organic group; Y = halo, NH2,				

hydrocarbyl-substituted amino group; Z = alkyl, alkali metal, quaternary ammonium). Claimed proton-conducting polymer electrolyte comprises a polymer $(\text{CR}_1\text{R}_2\text{CR}_3\text{ASO}_3\text{H})_m(\text{CR}_4\text{R}_5\text{CR}_6\text{BSi})_n$ (I) in which Si is bonded through O. Also claimed polymer electrolyte comprises a polymer I in which Si is bonded through a group OMO (M = Si, Al, Zr, Ti, and/or B). A fuel cell using the proton-conducting electrolyte is also claimed. The polymer electrolyte has high chemical stability.

- IC ICM H01B001-06
ICS H01M008-02; H01M008-10
- CC 52-2 (Electrochemical, Radiational, and Thermal Energy Technology)
Section cross-reference(s): 38, 76
- ST sulfonic acid vinyl silsesquioxane proton conducting polymer electrolyte;
fuel cell polymer electrolyte sulfonic acid vinyl silsesquioxane
- IT Silsesquioxanes
RL: DEV (Device component use); PNU (Preparation, unclassified); TEM
(Technical or engineered material use); PREP (Preparation); USES (Uses)
(aluminoxane-; sulfonic acid group-containing vinyl silsesquioxane and
proton-conducting polymer electrolyte for fuel cell)
- IT Ionic conductors
(polymeric; sulfonic acid group-containing vinyl silsesquioxane and
proton-conducting polymer electrolyte for fuel cell)
- IT Sulfonic acids, uses
RL: DEV (Device component use); PNU (Preparation, unclassified); TEM
(Technical or engineered material use); PREP (Preparation); USES (Uses)
(polymers; sulfonic acid group-containing vinyl silsesquioxane and
proton-conducting polymer electrolyte for fuel cell)
- IT Aluminoxanes
Titanoxanes
Zirconoxanes
RL: DEV (Device component use); PNU (Preparation, unclassified); TEM
(Technical or engineered material use); PREP (Preparation); USES (Uses)
(silsesquioxane-; sulfonic acid group-containing vinyl silsesquioxane and
proton-conducting polymer electrolyte for fuel cell)
- IT Polymers, uses
RL: DEV (Device component use); PNU (Preparation, unclassified); TEM
(Technical or engineered material use); PREP (Preparation); USES (Uses)
(sulfo-containing; sulfonic acid group-containing vinyl silsesquioxane and
proton-conducting polymer electrolyte for fuel cell)
- IT Fuel cell electrolytes
Polymer electrolytes
Solid state fuel cells
(sulfonic acid group-containing vinyl silsesquioxane and proton-conducting
polymer electrolyte for fuel cell)
- IT Silsesquioxanes
RL: DEV (Device component use); PNU (Preparation, unclassified); TEM
(Technical or engineered material use); PREP (Preparation); USES (Uses)
(titanoxane-; sulfonic acid group-containing vinyl silsesquioxane and
proton-conducting polymer electrolyte for fuel cell)
- IT Silsesquioxanes
RL: DEV (Device component use); PNU (Preparation, unclassified); TEM
(Technical or engineered material use); PREP (Preparation); USES (Uses)
(zirconoxane-; sulfonic acid group-containing vinyl silsesquioxane and
proton-conducting polymer electrolyte for fuel cell)
- IT 365494-31-1DP, hydrolyzed 365494-31-1P 365494-32-2DP, hydrolyzed
365494-32-2P 365494-33-3DP, hydrolyzed 365494-33-3P 365494-34-4DP,
hydrolyzed 365494-34-4P 365494-36-6DP, hydrolyzed 365494-36-6P
365494-37-7DP, hydrolyzed 365494-37-7P 365494-38-8DP, hydrolyzed
365494-38-8P 365494-39-9DP, hydrolyzed 365494-39-9P 365494-40-2DP,
hydrolyzed 365494-40-2P 365494-42-4DP, hydrolyzed 365494-44-6DP,

hydrolyzed **365544-15-6DP**, hydrolyzed
 RL: DEV (Device component use); PNU (Preparation, unclassified); TEM
 (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (sulfonic acid group-containing vinyl silsesquioxane and proton-conducting
 polymer electrolyte for fuel cell)

IT **365544-15-6DP**, hydrolyzed
 RL: DEV (Device component use); PNU (Preparation, unclassified); TEM
 (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (sulfonic acid group-containing vinyl silsesquioxane and proton-conducting
 polymer electrolyte for fuel cell)


RN 365544-15-6 HCAPLUS

CN Titanium, dibutoxydihydroxy-, (T-4)-, polymer with ethenyltrimethoxysilane
 and 1-methylethyl ethenesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 14531-96-5


CMF C8 H20 O4 Ti



CM 2

CRN 3851-91-0


CMF C5 H10 O3 S



CM 3

CRN 2768-02-7

CMF C5 H12 O3 Si



L34 ANSWER 11 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2001:232843 HCAPLUS

DN 135:46937

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

TI Dielectric spectroscopy study of polymers based on epoxy resins and
acyloxy derivatives of titanium

AU Burdin, A. B.; Suvorov, A. L.; Burdina, L. L.; Dul'tseva, L. D.; Khonina,
T. G.; Sennikov, V. V.

CS Inst. Org. Sintez, UrO RAN, Russia

SO Plasticheskie Massy (2001), (2), 34-36
CODEN: PLMSAI; ISSN: 0554-2901

PB ZAO NP "Plasticheskie Massy"

DT Journal

LA Russian

AB Bisphenol A epoxy resin was crosslinked with $(\text{BuO})_4\text{-nTi}(\text{OCORCOOBu})_n$, where
R is a residue of maleic, phthalic, succinic or cis-4-
methylnitratetetracyclophthalic acid. All the systems were homogeneous, optimum
resin-crosslinking agent ratio is 4:1 - 6:1. Dielec. spectroscopy was
used to determination thermodyn. characteristics of crosslinking and glass
transition processes.

CC 37-6 (Plastics Manufacture and Processing)
Section cross-reference(s): 36

ST epoxy resin crosslinking acyloxybutoxy titanium dielec spectroscopy glass
transition

IT Crosslinking enthalpy
Dielectric loss
Free energy
Glass transition
(dielec. spectroscopy study of polymers based on epoxy resins cured
with titanium acyloxy derivs.)

IT Polymer chains
(relaxation; dielec. spectroscopy study of polymers based on epoxy
resins cured with titanium acyloxy derivs.)

IT Epoxy resins, properties
RL: PRP (Properties)
(titanoxane-; dielec. spectroscopy study of polymers based on epoxy
resins cured with titanium acyloxy derivs.)

IT 344328-77-4P 344328-79-6P 344328-82-1P
344328-85-4P 344328-87-6P 344797-50-8P
RL: PRP (Properties); SPN (Synthetic preparation); PREP
(Preparation)
(dielec. spectroscopy study of polymers based on epoxy resins cured
with titanium acyloxy derivs.)

IT 344328-77-4P 344328-79-6P 344328-82-1P
344328-85-4P 344328-87-6P 344797-50-8P
RL: PRP (Properties); SPN (Synthetic preparation); PREP
(Preparation)
(dielec. spectroscopy study of polymers based on epoxy resins cured
with titanium acyloxy derivs.)


RN 344328-77-4 HCAPLUS

CN Titanium, dibutoxybis[monobutyl (2Z)-2-butenedioato-κO']-, (T-4)-,
polymer with (chloromethyl)oxirane and 4,4'-(1-
methylethylidene)bis[phenol] (9CI) (CA INDEX NAME)

CM 1

CRN 7428-41-3


CMF C24 H40 O10 Ti



CM 3

CRN 80-05-7

CMF C15 H16 O2




RN 344328-82-1 HCAPLUS

CN Titanium, dibutoxybis(2-butoxybenzoato-κO)-, (T-4)-, polymer with (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA INDEX NAME)

CM 1

CRN 344328-81-0


CMF C30 H44 O8 Ti



CM 2

CRN 106-89-8


CMF C3 H5 Cl O



CM 3

CRN 80-05-7


CMF C15 H16 O2



RN 344328-85-4 HCAPLUS
 CN Titanium, tributoxy(2-butoxybenzoato-κO)-, (T-4)-, polymer with
 (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA
 INDEX NAME)


CM 1

CRN 344328-84-3
 CMF C23 H40 O6 Ti




CM 2

CRN 106-89-8
 CMF C3 H5 Cl O




CM 3

CRN 80-05-7
 CMF C15 H16 O2



RN 344328-87-6 HCAPLUS
 CN Titanium, dibutoxybis(butyl butanedioato-O)-, polymer with
 (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA
 INDEX NAME)

CM 1




2 (D1-Me)

● 2 H⁺

CM 2

CRN 106-89-8


CMF C3 H5 Cl O



CM 3

CRN 80-05-7

CMF C15 H16 O2



L34 ANSWER 12 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 2000:579542 HCAPLUS

DN 133:282159

TI Preparation of soluble, linear titanium-containing copolymers by the free-radical copolymerization of vinyl titanate monomers with styrene

AU Branham, Keith E.; Byrd, Houston; Cook, Robert; Mays, Jimmy W.; Gray, Gary M.

CS Absorbable Polymer Technologies, Inc., Pelham, AL, 35124, USA

SO Journal of Applied Polymer Science (2000), 78(1), 190-199

CODEN: JAPNAB; ISSN: 0021-8995

PB John Wiley & Sons, Inc.

DT Journal

LA English

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

AB Linear, soluble copolymers containing titanium are of interest for use in targets

for inertial-confinement fusion (ICF) expts. because the titanium is a useful spectroscopic probe for studying the nuclear fusion process. Some suitable copolymers have been prepared from vinyl titanate monomers and styrene via free-radical polymerization Soluble copolymers with mol. wts. between

70,000 and 100,000 dalton containing 0.1 atom % titanium can be reliably prepared These copolymers were incorporated into targets used in inertial-confinement fusion expts. at Lawrence Livermore National Laboratory Attempts to prepare identical copolymers using macromol. modification were unsuccessful and yielded insol. materials upon reaction of the functionalized copolymers with titanium(IV) isopropoxide.

CC 35-6 (Chemistry of Synthetic High Polymers)

ST radical polymn vinyl titanate styrene

IT Glass transition temperature

Polymerization

(preparation of soluble, linear titanium-containing copolymers by the free-radical

copolymn. of vinyl titanate monomers with styrene)

IT 3087-37-4, Tetrapropoxytitanium

RL: RCT (Reactant); RACT (Reactant or reagent)

(attempted modification of methacrylate-styrene copolymer by)

IT 26010-51-5P, 2-Hydroxyethyl methacrylate-styrene copolymer 27812-11-9P, 2-Acetoacetoxyethyl methacrylate-styrene copolymer

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and attempted modification with tetrapropoxytitanium)

IT 172906-27-3P 299957-42-9P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and characterization of soluble)

IT 172906-27-3P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and characterization of soluble)


RN 172906-27-3 HCAPLUS

CN Titanium, (2-hydroxyethyl 2-methyl-2-propenoato)tris(2-propanolato)-, (T-4)-, polymer with ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 172906-24-0


CMF C15 H30 O6 Ti



CM 2

CRN 100-42-5

CMF C8 H8




RE.CNT 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L34 ANSWER 13 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1998:163380 HCAPLUS
DN 128:181679
TI Methacrylic resin compositions for use in safe marine antifouling
coatings
IN Vanhoye, Didier; Camail, Michel; Margailan, Andre; Vernet, Jean-Louis;
Humbert, Marie
PA Elf Atochem S.A., Fr.
SO Eur. Pat. Appl., 11 pp.
CODEN: EPXXDW
DT Patent
LA French
FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 825203	A1	19980225	EP 1997-401909	19970808
	EP 825203	B1	20020220		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	FR 2752581	A1	19980227	FR 1996-10374	19960822
	FR 2752581	B1	19981030		
	AT 213501	E	20020315	AT 1997-401909	19970808
	ES 2171857	T3	20020916	ES 1997-401909	19970808
	SG 71038	A1	20000321	SG 1997-2946	19970815
	US 5919840	A	19990706	US 1997-915799	19970821
	CA 2215572	AA	19980222	CA 1997-2215572	19970822
	CA 2215572	C	20021015		
	JP 10087676	A2	19980407	JP 1997-241910	19970822
	JP 3265240	B2	20020311		
	CN 1178229	A	19980408	CN 1997-121368	19970822
	CN 1105746	B	20030416		
	TW 380153	B	20000121	TW 1997-86114536	19971004
PRAI	FR 1996-10374	A	19960822		
AB	The compns. contain gel-free organic-soluble methacrylic acid polymers which have been esterified with Ti(OR) ₃ groups by reacting the polymer stocks with Ti(OR) ₄ (R = Et, iso-Pr, Bu, tert-Bu, 2-ethylhexyl, tert-amyl group) at the stoichiometric ratio of Ti/COOH >1. Thus, mixing Elvacite 2550 (Bu methacrylate-methacrylic acid-Me methacrylate 4:14:82 mol/mol copolymer) dissolved in PhMe 20 with Ti(OBu) ₄ 3.62 g gave a solution containing modified polymer with methacrylic acid-Ti(OBu) ₃ unit content 3.2, Bu methacrylate unit content 66.1 and Me methacrylate unit content 11.3 mol%, and free Ti(OBu) ₄ 19.4 mol%.				
IC	ICM C08F008-42 ICS C09D005-16				
CC	42-7 (Coatings , Inks, and Related Products)				
ST	org sol methacrylate resin titanate ester; solvent sol methacrylate resin titanate ester; gel free noncrosslinking methacrylate resin titanate; marine antifouling coating methacrylate resin titanate				
IT	Coating materials (antifouling; methacrylic resin compns. for safe marine antifouling coatings)				
IT	28262-63-7DP, Butyl methacrylate-methacrylic acid-methyl methacrylate copolymer, titanium complexes RL: BUU (Biological use, unclassified); IMF (Industrial manufacture); TEM (Technical or engineered material use); BIOL (Biological study); PREP				

- (Preparation); USES (Uses)
(Elvacite 2550; methacrylic resin compns. for safe marine antifouling coatings)
- IT 203340-57-2DP, Elvacite 2669, titanium complexes
RL: BUU (Biological use, unclassified); IMF (Industrial manufacture); TEM (Technical or engineered material use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(Elvacite 2669; methacrylic resin compns. for safe marine antifouling coatings)
- IT 203116-03-4P, Methacrylic acid tributoxytitanate-methyl methacrylate copolymer 203174-88-3P, Methacrylic acid tri(2-ethylhexoxytitanate)-methyl methacrylate copolymer
RL: BUU (Biological use, unclassified); IMF (Industrial manufacture); TEM (Technical or engineered material use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(methacrylic resin compns. for safe marine antifouling coatings)
- IT 7440-32-6D, Titanium, complexes with acrylic polymers, uses
RL: MOA (Modifier or additive use); USES (Uses)
(modifiers for manufacture of marine antifouling coatings)
- IT 203116-03-4P, Methacrylic acid tributoxytitanate-methyl methacrylate copolymer 203174-88-3P, Methacrylic acid tri(2-ethylhexoxytitanate)-methyl methacrylate copolymer
RL: BUU (Biological use, unclassified); IMF (Industrial manufacture); TEM (Technical or engineered material use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(methacrylic resin compns. for safe marine antifouling coatings)
- RN 203116-03-4 HCAPLUS
CN Titanium, tributoxy(2-methyl-2-propenoato-κO)-, (T-4)-, polymer with methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)
- CM 1
- CRN 17399-93-8
CMF C16 H32 O5 Ti



CM 2

CRN 80-62-6
CMF C5 H8 O2




- RN 203174-88-3 HCAPLUS
CN Titanium, tris(2-ethyl-1-hexanolato)(2-methyl-2-propenoato-κO)-,

(T-4)-, polymer with methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 203174-87-2


CMF C28 H56 O5 Ti



CM 2

CRN 80-62-6

CMF C5 H8 O2



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L34 ANSWER 14 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1997:273649 HCAPLUS
DN 126:252530
TI Heat-resistant printing ink compositions with good discoloration
prevention and viscosity stability
IN Inoe, Takahiko; Sakuma, Kazuo
PA Sakata Inks, Japan
SO Jpn. Kokai Tokkyo Koho, 7 pp.
CODEN: JKXXAF

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 09031385	A2	19970204	JP 1995-183039	19950719
PRAI	JP 1995-183039		19950719		
OS	MARPAT 126:252530				

AB Title comps. contain pigments, OH-containing resins, organic solvents, and ≥ 1 Ti(OR1)(OR2)(OR3)(OR4) and (R5O)(R6O)(R7O)Ti1...cn tdot...OTin(OR2n+4)(OR2n+5)(OR2n+6) (R's = C3-18 alkyl, acyl; $\geq (2n + 2)/4$ of R's are C17H35CO; n = 1-10) as crosslinking agents. Thus, an ink comprising triisopropoxytitanium monostearate 0.1, Tipaque R 900 (TiO2) 30, Rheomide S 2600 (polyamide) 16, HIG 1/2 4, and a 60:30:10 mixture of PhNe/Me2CHOH/EtOAc 49.9 parts was applied on a polypropylene film to show transfer temperature 100-120°, good viscosity

stability, and no yellowing after 7 days at 40°.

IC ICM C09D011-02
ICS C09D011-08; C09D011-10

CC 42-12 (**Coatings**, Inks, and Related Products)

ST titanium stearate crosslinking agent printing ink; nitrocellulose polyamide titanium stearate printing ink; titanoxane stearate crosslinking agent ink; heat resistance printing ink; storage stability printing ink; discoloration prevention polyamide cellulose titanoxane ink

IT Titanoxanes
RL: MOA (Modifier or additive use); USES (Uses)
(crosslinking agents, polyamides and cellulose derivs.; heat-resistant and storage-stable cellulose-polyamide printing ink compns. containing titanium stearates crosslinking agents)

IT Crosslinking agents
Discoloration prevention
(heat-resistant and storage-stable cellulose-polyamide printing ink compns. containing titanium stearates crosslinking agents)

IT Inks
(printing; heat-resistant and storage-stable cellulose-polyamide printing ink compns. containing titanium stearates crosslinking agents)

IT 17283-75-9, Triisopropoxytitanium monostearate 32670-03-4, Diisopropoxytitanium distearate 114068-94-9 188425-83-4 188425-87-8 188425-90-3 188425-92-5
RL: MOA (Modifier or additive use); USES (Uses)
(crosslinking agents, polyamides and cellulose derivs.; heat-resistant and storage-stable cellulose-polyamide printing ink compns. containing titanium stearates crosslinking agents)

IT **188570-57-2P 188570-58-3P 188570-59-4P**
188570-60-7P 188626-80-4P 188651-99-2P
RL: **IMF (Industrial manufacture)**; PRP (Properties); TEM
(Technical or engineered material use); **PREP (Preparation)**; USES
(Uses)
(heat-resistant and storage-stable cellulose-polyamide printing ink compns. containing titanium stearates crosslinking agents)

IT **188570-57-2P 188570-58-3P 188570-59-4P**
188570-60-7P
RL: **IMF (Industrial manufacture)**; PRP (Properties); TEM
(Technical or engineered material use); **PREP (Preparation)**; USES
(Uses)
(heat-resistant and storage-stable cellulose-polyamide printing ink compns. containing titanium stearates crosslinking agents)

RN 188570-57-2 HCAPLUS

CN Cellulose, nitrate, polymer with (T-4)-(octadecanoato-κO)tris(2-propanolato)titanium and Rheomide S 2600 (9CI) (CA INDEX NAME)


CM 1

CRN 188494-81-7
CMF Unspecified
CCI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 2

CRN 17283-75-9
CMF C27 H56 O5 Ti



CM 3

CRN 9004-70-0

CMF H N O3 . x Unspecified

CM 4

CRN 9004-34-6

CMF Unspecified


CCI PMS, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 5

CRN 7697-37-2

CMF H N O3



RN 188570-58-3 HCAPLUS

CN Cellulose, nitrate, polymer with (T-4)-bis(octadecanoato-κO)bis(2-propanolato)titanium and Rheomide S 2600 (9CI) (CA INDEX NAME)

CM 1

CRN 188494-81-7

CMF Unspecified


CCI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 2

CRN 32670-03-4

CMF C42 H84 O6 Ti



CM 3

CRN 9004-70-0
CMF H N O3 . x Unspecified


CM 4

CRN 9004-34-6
CMF Unspecified
CCI PMS, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 5

CRN 7697-37-2
CMF H N O3



RN 188570-59-4 HCAPLUS
CN Cellulose, nitrate, polymer with bis(octadecanoato- κ O)- μ -oxotetrakis(2-propanolato)ditanium and Rheomide S 2600 (9CI) (CA INDEX NAME)


CM 1

CRN 188494-81-7
CMF Unspecified
CCI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 2

CRN 188425-83-4
CMF C48 H98 O9 Ti2



CM 3

CRN 9004-70-0
CMF H N O3 . x Unspecified


CM 4

CRN 9004-34-6
CMF Unspecified
CCI PMS, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 5

CRN 7697-37-2
CMF H N O3



RN 188570-60-7 HCAPLUS
CN Cellulose, nitrate, polymer with Rheomide S 2600 and
tetrakis(octadecanoato-κO)-μ-oxobis(2-propanolato)dititanium
(9CI) (CA INDEX NAME)


CM 1

CRN 188494-81-7
CMF Unspecified
CCI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 2

CRN 188425-90-3
CMF C78 H154 O11 Ti2



CM 3

CRN 9004-70-0
CMF H N O3 . x Unspecified

CM 4


CRN 9004-34-6
CMF Unspecified
CCI PMS, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 5


CRN 7697-37-2

CMF H N O3




- L34 ANSWER 15 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1996:667226 HCAPLUS
 DN 125:329549
 TI Molecules with polymerizable ligands as precursors to porous doped materials
 AU Hubert-Pfalzgraf, L. G.; Pajot, N.; Papiernik, R.; Parraud, S.
 CS Univ. Nice-Sophia-Antipolis, Nice, 06108, Fr.
 SO Materials Research Society Symposium Proceedings (1996), 435 (Better Ceramics through Chemistry VII: Organic/Inorganic Hybrid Materials), 137-142
 CODEN: MRSPDH; ISSN: 0272-9172
 PB Materials Research Society
 DT Journal
 LA English
 AB Titanium and aluminum alkoxide derivs. with polymerizable ligands such as 2-(methacryloyloxy)ethylacetoacetate, oleic acid and geraniol were obtained. The various compds. have been characterized by FT-IR and 1H-NMR. Copolymn. with styrene and divinylbenzene affords porous doped organic materials which have been characterized by SEM, elemental anal., d. measurements.
 CC 35-3 (Chemistry of Synthetic High Polymers)
 ST divinylbenzene styrene alkoxide compd polymn;
 methacryloyloxyethylacetoacetate titanium aluminum alkoxide compd prepn;
 oleic titanium alkoxide compd prepn polymn; geraniol titanium alkoxide compd prepn polymn; hydroxyethylmethacrylate titanium alkoxide compd prepn polymn
 IT Polymer morphology
 (preparation of divinylbenzene-styrene copolymer porous materials with double-bond-containing polymerizable ligands as precursors)
 IT **183852-72-4P 183852-74-6P 183852-76-8P**
 183852-78-0P 183852-81-5P
 RL: PRP (Properties); **SPN (Synthetic preparation); PREP (Preparation)**
 (preparation of divinylbenzene-styrene copolymer porous materials with double-bond-containing polymerizable ligands as precursors)
 IT 106-24-1, Geraniol 112-80-1, 9-Octadecenoic acid (Z)-, reactions 868-77-9, 2-Hydroxyethylmethacrylate 3087-37-4, Tetra(propoxy)titanium 4073-85-2, Tri(propoxy)aluminum 21282-97-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of divinylbenzene-styrene copolymer porous materials with double-bond-containing polymerizable ligands as precursors)
 IT 31775-33-4P 183852-68-8P 183852-69-9P 183852-70-2P 183852-71-3P
 RL: RCT (Reactant); **SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)**
 (preparation of divinylbenzene-styrene copolymer porous materials with


double-bond-containing polymerizable ligands as precursors)
 IT 183852-72-4P 183852-74-6P 183852-76-8P
 RL: PRP (Properties); SPN (Synthetic preparation); PREP
 (Preparation)
 (preparation of divinylbenzene-styrene copolymer porous materials with
 double-bond-containing polymerizable ligands as precursors)
 RN 183852-72-4 HCAPLUS
 CN Titanium, (9-octadecenoato-O)tris(2-propanolato)-, [T-4-(Z)]-, polymer
 with diethenylbenzene and ethenylbenzene (9CI) (CA INDEX NAME)
 CM 1
 CRN 31775-33-4
 CMF C27 H54 O5 Ti



CM 2
 CRN 1321-74-0
 CMF C10 H10
 CCI IDS




CM 3
 CRN 100-42-5
 CMF C8 H8




RN 183852-74-6 HCAPLUS
 CN Titanium, (3,7-dimethyl-2,6-octadien-1-olato)tris(2-propanolato)-,
 [T-4-(E)]-, polymer with diethenylbenzene and ethenylbenzene (9CI) (CA
 INDEX NAME)
 CM 1

CRN 183852-68-8
CMF C19 H38 O4 Ti




CM 2

CRN 1321-74-0
CMF C10 H10
CCI IDS



CM 3

CRN 100-42-5
CMF C8 H8




RN 183852-76-8 HCAPLUS
CN Titanium, bis(3,7-dimethyl-2,6-octadien-1-olato)bis(2-propanolato)-, [T-4-(E), (E)]-, polymer with diethenylbenzene and ethenylbenzene (9CI) (CA INDEX NAME)


CM 1

CRN 183852-69-9
CMF C26 H48 O4 Ti

PAGE 1-A




PAGE 1-B



CM 2

CRN 1321-74-0
CMF C10 H10
CCI IDS



CM 3

CRN 100-42-5
CMF C8 H8



L34 ANSWER 16 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1995:1006881 HCAPLUS
DN 124:88933
TI Polymers with high refractive index from tetravalent metal-containing
(meth)acrylate esters
IN Fukai, Tomohiro; Nagai, Yasuhiko; Nakayama, Yasushi
PA Sekisui Chemical Co. Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 6 pp.
CODEN: JKXXAF

DT Patent
LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07268024	A2	19951017	JP 1994-58726	19940329
PRAI	JP 1994-58726		19940329		

AB Polymers containing repeating units $\text{CR1}[\text{CO}_2\text{CH}_2\text{CH}_2\text{A}(\text{OR}_2)_x\text{R}_3\text{y}]\text{CH}_2$ ($\text{R}_1 = \text{H, Me}$; $\text{R}_2 = \text{C1-4 alkyl}$; $\text{R}_3 = \text{alkyl, Ph, naphthyl}$; $x = 1-3$, $y = 0-2$, $x + y = 3$; $\text{A} = \text{Ti, Zr, Ge}$) are subjected to hydrolysis and condensation to give transparent products which have $n \geq 1.70$ and are useful as optical materials, lenses, films, etc. A polymer prepared from

H2C:CMcO2CH2CH2Ti(OCHMe2)3 in the presence of AIBN was applied to a PET film and subjected to hydrolysis and condensation to give a product having n 1.73 and good adhesion (MIL C 675A).

IC ICM C08F008-12
ICS C08G079-00

CC 37-5 (Plastics Manufacture and Processing)
Section cross-reference(s): 38

ST titanate deriv methacrylate polymer refractive index; germanate deriv methacrylate polymer refractive index; zirconate deriv methacrylate polymer refractive index; refractive index polymer methacrylate metal deriv; optical material polymer methacrylate metal deriv; lens polymer metal deriv methacrylate; polymn metal deriv methacrylate optical material; alkoxide metal methacrylate polymer refractive index

IT **Coating materials**
Optical materials
Transparent materials
(polymers of tetravalent metal-containing methacrylate esters having high refractive index)

IT Refractive index and Optical refraction
RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(tetravalent metal-containing methacrylate esters for polymers with high)

IT Crosslinking
RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(hydrolytic, of polymers of tetravalent metal-containing methacrylate esters having high refractive index)

IT 25038-59-9, PET (polyester), miscellaneous
RL: MSC (Miscellaneous)
(film; laminate with polymer of tetravalent metal-containing methacrylate ester having high refractive index)

IT **172906-25-1P 172906-26-2P 172906-27-3P**
172906-29-5P 172906-31-9P
RL: **IMF (Industrial manufacture)**; TEM (Technical or engineered material use); **PREP (Preparation)**; USES (Uses)
(preparation for use as optical materials with high refractive index)


IT **172906-25-1P 172906-26-2P 172906-27-3P**
172906-31-9P
RL: **IMF (Industrial manufacture)**; TEM (Technical or engineered material use); **PREP (Preparation)**; USES (Uses)
(preparation for use as optical materials with high refractive index)

RN 172906-25-1 HCAPLUS

CN Titanium, [2-(hydroxy-κO)ethyl 2-methyl-2-propenoato]tris(2-propanolato)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 172906-24-0
CMF C15 H30 O6 Ti




RN 172906-26-2 HCAPLUS

CN Titanium, (2-hydroxyethyl 2-methyl-2-propenoato)tris(2-propanolato)-, (T-4)-, polymer with methyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)


CM 1

CRN 172906-24-0
CMF C15 H30 O6 Ti



CM 2

CRN 80-62-6
CMF C5 H8 O2




RN 172906-27-3 HCAPLUS

CN Titanium, (2-hydroxyethyl 2-methyl-2-propenoato)tris(2-propanolato)-, (T-4)-, polymer with ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 172906-24-0
CMF C15 H30 O6 Ti



CM 2

CRN 100-42-5
CMF C8 H8




RN 172906-31-9 HCAPLUS

CN Zirconium, tris(1-methylethoxy)[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 172906-30-8

CMF C15 H30 O6 Zr



L34 ANSWER 17 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1995:750565 HCAPLUS

DN 123:146871

TI Specific metal compound-containing compositions for **coatings** or inks

IN Yasuda, Naoki; Tanaka, Sukeyuki; Zama, Taku

PA Ajinomoto KK, Japan

SO Jpn. Kokai Tokkyo Koho, 12 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07062279	A2	19950307	JP 1993-210273	19930825
PRAI	JP 1993-210273		19930825		
OS	MARPAT 123:146871				
AB	Title compns., giving films with good flexibility and stiffness, contain 0.01-20% (based on inorg. fillers and pigments) unsatd. side chain-containing Zr or Al compds. A Polymal 9305Z (polyester) composition containing TiO2 10, CaCO3 20, a catalyst 0.7, and Zr(OPr)2Q2 (Q = polyoxyethylene monomethacrylate monophthalate) 0.6 part was spread on a steel plate and baked at 130° for 30 min to form a film good adhesion.				
IC	ICM C09D007-12				
	ICS C08K003-00; C08K009-04; C09D011-02				
CC	42-10 (Coatings , Inks, and Related Products)				
ST	polyoxyethylene methacrylate phthalate zirconate contg coating ; flexibility coating unsatd polyoxyethylene zirconate; stiffness coating unsatd polyoxyethylene aluminate				
IT	Acrylic polymers, uses Polyesters, uses RL: TEM (Technical or engineered material use); USES (Uses) (unsatd. side chain-containing zirconate- or aluminate-containing coatings with good adhesion and flexibility and stiffness)				
IT	Inks (unsatd. side chain-containing zirconate- or aluminate-containing resin compns. with good adhesion and flexibility and stiffness)				
IT	Coating materials (flexible, unsatd. side chain-containing zirconate- or aluminate-containing resin compns. with good adhesion and flexibility and stiffness)				
IT	555-31-7, Triisopropyl aluminate 23519-77-9, Tetrapropyl zirconate RL: RCT (Reactant); RACT (Reactant or reagent) (reaction with (poly)ethylene glycol mono(meth)acrylate monoesters)				

IT 27697-00-3, Ethylene glycol monomethacrylate monophthalate 58868-83-0
 75836-16-7 127079-01-0 155914-99-1 166744-39-4
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with alkyl zirconates or aluminates)

IT 138341-67-0, Polymal 9305Z
 RL: TEM (Technical or engineered material use); USES (Uses)
 (unsatd. side chain-containing zirconate- or aluminate-containing
coatings with good adhesion and flexibility and stiffness)


IT 9011-14-7, PMMA
 RL: TEM (Technical or engineered material use); USES (Uses)
 (unsatd. side chain-containing zirconate- or aluminate-containing compns.
 with
 good adhesion and flexibility and stiffness)

IT 166744-40-7P 166744-41-8P 166744-42-9P
 166744-43-0P 166744-44-1P 166744-45-2P
 166744-46-3P 166744-47-4P 166744-48-5P
 166744-49-6P 166744-50-9P 166744-51-0P 166744-52-1P
 166744-53-2P 166744-54-3P 166744-55-4P
 166744-56-5P 166744-57-6P 166744-58-7P
 166744-59-8P 166744-60-1P 166744-61-2P 166744-62-3P
 166744-64-5P 166744-65-6P 166744-66-7P
 RL: MOA (Modifier or additive use); SPN (Synthetic preparation);
 PREP (Preparation); USES (Uses)
 (unsatd. side chain-containing zirconate- or aluminate-containing resin
 compns.
 with good adhesion and flexibility and stiffness)


IT 166744-41-8P 166744-42-9P 166744-43-0P
 166744-44-1P 166744-45-2P 166744-46-3P
 166744-47-4P 166744-48-5P 166744-49-6P
 166744-50-9P 166744-54-3P 166744-55-4P
 166744-56-5P 166744-57-6P 166744-58-7P
 166744-59-8P 166744-65-6P 166744-66-7P
 RL: MOA (Modifier or additive use); SPN (Synthetic preparation);
 PREP (Preparation); USES (Uses)
 (unsatd. side chain-containing zirconate- or aluminate-containing resin
 compns.
 with good adhesion and flexibility and stiffness)

RN 166744-41-8 HCAPLUS


CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-
 propenyl)oxy]-, ester with (T-4)-bis(1,2-benzenedicarboxylato-O1)bis(16-
 methylheptadecanoato-O)zirconium (2:1) (9CI) (CA INDEX NAME)




RN 166744-42-9 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-propenyl)oxy]-, ester with (T-4)-tris(1,2-benzenedicarboxylato-O1)(2-propanolato)zirconium (3:1) (9CI) (CA INDEX NAME)




RN 166744-43-0 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -(1-oxo-2-propenyl)- ω -hydroxy-, ester with (T-4)-(1,2-benzenedicarboxylato- κ O2)tris(2-propanolato)zirconium (1:1) (9CI) (CA INDEX NAME)



RN 166744-44-1 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -(1-oxo-2-propenyl)- ω -hydroxy-, ester with (T-4)-bis(1,2-benzenedicarboxylato- κ O2)bis(didecyl phosphato-O'')(2-propanolato)zirconium (1:1) (9CI) (CA INDEX NAME)




RN 166744-45-2 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -(2-methyl-1-oxo-2-propenyl)- ω -hydroxy-, ester with (T-4)-(2-butenedioato-O)tris(2-propanolato)zirconium (1:1) (9CI) (CA INDEX NAME)




RN 166744-46-3 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-propenyl)oxyl]-, ester with (T-4)-bis(2-butenedioato-O)bis(2-propanolato)zirconium (2:1) (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 166744-47-4 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -(2-propenyloxy)-, ester
 with (T-4)-bis(2-butenedioato-O)bis(2-propanolato)zirconium (2:1) (9CI)
 (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 166744-48-5 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -(2-propenyloxy)-, ester
 with (T-4)-tris(2-butenedioato-O)(2-propanolato)zirconium (3:1) (9CI) (CA
 INDEX NAME)

PAGE 1-A




PAGE 1-B



RN 166744-49-6 HCAPLUS


CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-propenyl)oxy]-, ester with (T-4)-bis(3-hydroxy-2-butenato-O3)bis(2-propanolato)zirconium (2:1) (9CI) (CA INDEX NAME)




RN 166744-50-9 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-propenyl)oxy]-, ester with (T-4)-tris(3-hydroxy-2-butenato-O3)(2-propanolato)zirconium (3:1) (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 1-B




RN 166744-54-3 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-propenyl)oxy]-, ester with (T-4)-bis(1,2-benzenedicarboxylato- κ O2)bis(2-propanolato)zirconium (2:1), polymer with α -(2-methyl-1-oxo-2-propenyl)- ω -[(2-methyl-1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl) (9CI) (CA INDEX NAME)



RN 166744-55-4 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-propenyl)oxy]-, ester with (T-4)-tris(1,2-benzenedicarboxylato- κ O2)(2-propanolato)zirconium (3:1), polymer with α -(2-methyl-1-oxo-2-propenyl)- ω -[(2-methyl-1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl) (9CI) (CA INDEX NAME)

CM 1

CRN 166744-42-9
 CMF (C2 H4 O)_n (C2 H4 O)_n (C2 H4 O)_n C39 H34 O16 Zr
 CCI PMS




CM 2

CRN 25852-47-5

CMF (C2 H4 O)n C8 H10 O3

CCI PMS



RN 166744-56-5 HCAPLUS


CN 2-Propenoic acid, 2-methyl-, 2-ethylhexyl ester, polymer with α -(1-oxo-2-propenyl)- ω -hydroxypoly(oxy-1,2-ethanediyl) ester with (T-4)-(1,2-benzenedicarboxylato- κ O2)tris(2-propanolato)zirconium (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 166744-43-0

CMF (C2 H4 O)n C20 H28 O8 Zr


CCI PMS



CM 2

CRN 688-84-6

CMF C12 H22 O2



RN 166744-57-6 HCAPLUS


CN 2-Propenoic acid, 2-methyl-, 2-ethylhexyl ester, polymer with
 α -(1-oxo-2-propenyl)- ω -hydroxypoly(oxy-1,2-ethanediyl) ester
 with (T-4)-(1,2-benzenedicarboxylato- κ O2)bis(didecyl
 phosphato-O'')(2-propanolato)zirconium (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 166744-44-1

CMF (C2 H4 O)_n C54 H98 O14 P2 Zr


CCI PMS



CM 2

CRN 688-84-6

CMF C12 H22 O2



RN 166744-58-7 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -(2-methyl-1-oxo-2-propenyl)- ω -


hydroxy-, ester with (T-4)-(2-butenedioato-O)tris(2-propanolato)zirconium (1:1), polymer with ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 166744-45-2

CMF (C2 H4 O)_n C17 H28 O8 Zr


CCI PMS



CM 2

CRN 100-42-5

CMF C8 H8



RN 166744-59-8 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-propenyl)oxy]-, ester with (T-4)-bis(2-butenedioato-O)bis(2-propanolato)zirconium (2:1), polymer with ethenylbenzene (9CI) (CA INDEX NAME)


CM 1

CRN 166744-46-3


CMF (C2 H4 O)_n (C2 H4 O)_n C22 H28 O12 Zr

CCI PMS

PAGE 1-A




PAGE 1-B



CM 2

CRN 100-42-5
CMF C8 H8




RN 166744-65-6 HCAPLUS

CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -(2-methyl-1-oxo-2-propenyl)oxy]-, ester with (T-4)-tris(3-hydroxy-2-butenatoato-O3)(2-propanolato)zirconium (3:1), polymer with α -(2-methyl-1-oxo-2-propenyl)- ω -(2-methyl-1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl) (9CI) (CA INDEX NAME)


CM 1

CRN 166744-50-9
CMF (C2 H4 O)n (C2 H4 O)n (C2 H4 O)n C27 H34 O13 Zr
CCI PMS

PAGE 1-A




PAGE 1-B



CM 2

CRN 25852-47-5
CMF (C2 H4 O)n C8 H10 O3
CCI PMS



RN 166744-66-7 HCAPLUS


CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -[(2-methyl-1-oxo-2-propenyl)oxy]-, ester with (T-4)-bis(3-hydroxy-2-butenato-03)bis(2-propanolato)zirconium (2:1), polymer with α -(2-methyl-1-oxo-2-propenyl)- ω -[(2-methyl-1-oxo-2-propenyl)oxy]poly(oxy-1,2-ethanediyl) (9CI) (CA INDEX NAME)

CM 1

CRN 166744-49-6

CMF (C2 H4 O) $_n$ (C2 H4 O) $_n$ C22 H32 O10 Zr

CCI PMS




CM 2

CRN 25852-47-5

CMF (C2 H4 O) $_n$ C8 H10 O3

CCI PMS



L34 ANSWER 18 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1995:719339 HCAPLUS

DN 123:97969

TI Radiation-sensitive resin composition

IN Ito, Toshio

PA Oki Electric Ind Co Ltd, Japan

SO Jpn. Kokai Tokkyo Koho, 10 pp.


CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07134418	A2	19950523	JP 1993-281337	19931110
	JP 2981094	B2	19991122		
PRAI	JP 1993-281337		19931110		
GI					



AB A radiation-sensitive resin composition showing high sensitivity to radiations, good resistance to O₂-RIE, and ease to stripping from a substrate comprises a polymer made from the monomers ROM(OCMe₃) or I (M = Ge, Sn, or Ti; R = H, alkyl, tert-butoxycarbonyl, or arylmethyl) and a radiation-sensitive acid-forming agent.

IC ICM G03F007-039
 ICS G03F007-004; H01L021-312

CC 74-5 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)

ST radiation resist organometallic compd acid generator

IT Stannoxanes
 Titanoxanes
 RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (preparation and use in preparing radiation-sensitive resists)

IT Resists
 (radiation-sensitive, containing organometallic compds. and acid generators)

IT 165811-87-0P 165811-89-2P
 RL: RCT (Reactant); **SPN (Synthetic preparation)**; TEM (Technical or engineered material use); **PREP (Preparation)**; RACT (Reactant or reagent); USES (Uses)
 (preparation and polymerization in preparing radiation-sensitive resists)

IT 165811-89-2P
 RL: RCT (Reactant); **SPN (Synthetic preparation)**; TEM (Technical or engineered material use); **PREP (Preparation)**; RACT (Reactant or reagent); USES (Uses)
 (preparation and polymerization in preparing radiation-sensitive resists)


RN 165811-89-2 HCAPLUS

CN Titanium, bis(acetato-O)bis(2-methyl-2-propanolato)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 165811-88-1

CMF C12 H24 O6 Ti



L34 ANSWER 19 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1995:272932 HCAPLUS

DN 122:32937

TI Uniform organic polymer-titanium complex oxide composites

IN Hirano, Shinichi; Iyanagi, Koichi

PA Pola Kasei Kogyo Kk, Japan; Hirano Shinichi

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF


DT Patent

LA Japanese


FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 06157767	A2	19940607	JP 1993-12966	19930128
	JP 3183740	B2	20010709		
PRAI	JP 1992-258598	A	19920928		
AB	The title composites are obtained from unsatd. acyloxy group-containing Ti alkoxides Ti(OR) _{4-n} Q _n (R = short-chain alkyl; Q = polymerizable unsatd. acyloxy; n = 1, 2) and metal alkoxides that do not form perovskite crystal structure with Ti, by polymerization of the acyloxy group and cohydrolytic polycondensation of the alkoxides. Triisobutoxytitanium acrylate, tetra-Et silicate and acrylic acid were polymerized				
IC	ICM C08G079-00				
	ICS C08F030-04				
CC	37-6 (Plastics Manufacture and Processing)				
ST	acrylic titanium oxide composite				
IT	18327-72-5P	159969-38-7P	159969-42-3P	159969-43-4P	
	RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)				
	(manufacture and polymerization of)				
IT	18328-57-9				
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(manufacture and polymerization of)				
IT	3087-36-3, Titanium tetraethoxide	7425-80-1, Titanium tetraisobutoxide			
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(reaction with acrylic acid)				
IT	5593-70-4				
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(reaction with crotonic acid)				
IT	546-68-9				
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(reaction with methacrylic acid)				
IT	3724-65-0, 2-Butenoic acid				
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(reaction with titanium tetrabutoxide)				
IT	79-10-7, 2-Propenoic acid, reactions				
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(reaction with titanium tetraisobutoxide)				
IT	79-41-4, reactions				
	RL: RCT (Reactant); RACT (Reactant or reagent)				


(reaction with titanium tetraisopropoxide)
 IT 159969-44-5P 159969-45-6P 159969-46-7P
 159969-47-8P 159969-48-9P
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (uniform organic polymer-titanium complex oxide composites)
 IT 159969-44-5P 159969-45-6P 159969-46-7P
 159969-47-8P 159969-48-9P
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (uniform organic polymer-titanium complex oxide composites)
 RN 159969-44-5 HCAPLUS
 CN Titanium, tris(2-methyl-1-propanolato)(2-propenoato-O)-, (T-4)-, polymer with 2-propenoic acid and silicic acid (H4SiO4) tetraethyl ester (9CI) (CA INDEX NAME)
 CM 1
 CRN 159969-42-3
 CMF C15 H30 O5 Ti



CM 2
 CRN 79-10-7
 CMF C3 H4 O2




CM 3
 CRN 78-10-4
 CMF C8 H20 O4 Si



RN 159969-45-6 HCAPLUS
 CN Titanium, (2-methyl-2-propenoato-O)tris(2-propanolato)-, (T-4)-, polymer with methyl 2-methyl-2-propenoate and 2-propanol zirconium(4+) salt (9CI) (CA INDEX NAME)


CM 1

CRN 18327-72-5
CMF C13 H26 O5 Ti



CM 2


CRN 2171-98-4
CMF C3 H8 O . 1/4 Zr



● 1/4 Zr(IV)

CM 3


CRN 80-62-6
CMF C5 H8 O2



RN 159969-46-7 HCAPLUS
CN Titanium, bis(2-butenato-O)dibutoxy-, (T-4)-, polymer with 2-butanol aluminum salt (9CI) (CA INDEX NAME)

CM 1


CRN 159969-36-5
CMF C16 H28 O6 Ti



CM 2

CRN 2269-22-9

CMF C4 H10 O . 1/3 Al



● 1/3 Al


RN 159969-47-8 HCAPLUS

CN Titanium, dibutoxybis(2-methyl-2-propenoato-O)-, (T-4)-, polymer with 1-butanol zinc salt and ethanol titanium(4+) salt (9CI) (CA INDEX NAME)

CM 1

CRN 18328-57-9


CMF C16 H28 O6 Ti



CM 2

CRN 13422-22-5

CMF C4 H10 O . 1/2 Zn




● 1/2 Zn

CM 3

CRN 3087-36-3

CMF C2 H6 O . 1/4 Ti



● 1/4 Ti(IV)


RN 159969-48-9 HCAPLUS

CN Titanium, triethoxy(2-propenoato-O)-, (T-4)-, polymer with ethenylbenzene, 2-methyl-1-propanol aluminum salt and silicic acid (H4SiO4) tetraethyl ester (9CI) (CA INDEX NAME)

CM 1

CRN 159969-38-7


CMF C9 H18 O5 Ti



CM 2

CRN 3453-79-0

CMF C4 H10 O . 1/3 Al




● 1/3 Al

CM 3

CRN 100-42-5


CMF C8 H8



CM 4

CRN 78-10-4

CMF C8 H20 O4 Si



L34 ANSWER 20 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1995:272931 HCAPLUS
 DN 122:32936
 TI Uniform organic polymer-titanium oxide composites
 IN Hirano, Shinichi; Iyanagi, Koichi
 PA Pola Kasei Kogyo Kk, Japan; Hirano Shinichi
 SO Jpn. Kokai Tokkyo Koho, 6 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 06157648	A2	19940607	JP 1993-12965	19930128
	JP 3129355	B2	20010129		
PRAI	JP 1992-258597	A	19920928		
AB	The title composites are obtained from unsatd. acyloxy group-containing Ti alkoxides Ti(OR) _{4-n} Q _n (R = short-chain alkyl; Q = polymerizable unsatd. acyloxy; n = 1, 2) and Ti tetraalkoxides by polymerization of the acyloxy group and cohydrolytic polycondensation of the alkoxides. Triisopropoxytitanium methacrylate and Ti tetraisopropoxide were polymerized				
IC	ICM C08F008-42				
	ICS A61K007-40; C01G023-04				
ICA	C08F030-08				
CC	37-6 (Plastics Manufacture and Processing)				
ST	acrylic titanium oxide composite				
IT	Titanoxanes				
	RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)				
	(manufacture of organic polymer composites of)				
IT	18327-72-5P 159969-36-5P 159969-38-7P 159969-40-1P				
	RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)				
	(manufacture and polymerization of)				
IT	3087-36-3, Titanium tetraethoxide 7425-80-1, Titanium tetraisobutoxide				
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(reaction with acrylic acid)				
IT	5593-70-4				
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(reaction with crotonic acid)				
IT	546-68-9				
	RL: RCT (Reactant); RACT (Reactant or reagent)				
	(reaction with methacrylic acid)				
IT	3724-65-0, 2-Butenoic acid				
	RL: RCT (Reactant); RACT (Reactant or reagent)				

(reaction with titanium tetrabutoxide)
 IT 79-10-7, 2-Propenoic acid, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with titanium tetraethoxide)
 IT 79-41-4, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with titanium tetraisopropoxide)
 IT 159969-35-4P 159969-37-6P 159969-39-8P
 159969-41-2P
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (uniform organic polymer-titanium oxide composites)
 IT 159969-35-4P 159969-37-6P 159969-39-8P
 159969-41-2P
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (uniform organic polymer-titanium oxide composites)
 RN 159969-35-4 HCAPLUS
 CN Titanium, (2-methyl-2-propenoato-O)tris(2-propanolato)-, (T-4)-, polymer with 2-propanol titanium(4+) salt (9CI) (CA INDEX NAME)

CM 1

CRN 18327-72-5


CMF C13 H26 O5 Ti



CM 2

CRN 546-68-9

CMF C3 H8 O . 1/4 Ti



● 1/4 Ti(IV)


RN 159969-37-6 HCAPLUS

CN Titanium, bis(2-butenato-O)dibutoxy-, (T-4)-, polymer with 1-butanol titanium(4+) salt and ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 159969-36-5


CMF C16 H28 O6 Ti



CM 2

CRN 5593-70-4

CMF C4 H10 O . 1/4 Ti




● 1/4 Ti(IV)

CM 3

CRN 100-42-5

CMF C8 H8




RN 159969-39-8 HCAPLUS

CN Titanium, triethoxy(2-propenoato-O)-, (T-4)-, polymer with 2-propanol titanium(4+) salt (9CI) (CA INDEX NAME)

CM 1

CRN 159969-38-7


CMF C9 H18 O5 Ti



CM 2

CRN 546-68-9

CMF C3 H8 O . 1/4 Ti




● 1/4 Ti(IV)

RN 159969-41-2 HCAPLUS
CN Titanium, bis(2-methyl-1-propanolato)bis(2-propenoato-O)-, (T-4)-, polymer with ethanol titanium(4+) salt and ethenylbenzene (9CI) (CA INDEX NAME)


CM 1

CRN 159969-40-1
CMF C14 H24 O6 Ti



CM 2


CRN 3087-36-3
CMF C2 H6 O . 1/4 Ti



● 1/4 Ti(IV)

CM 3


CRN 100-42-5
CMF C8 H8



L34 ANSWER 21 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1995:222340 HCAPLUS
DN 122:315711
TI Synthesis of barium titanate/polymer composites from metal alkoxide
AU Yogo, Toshinobu; Kikuta, Ko-Ichi; Yamada, Seiji; Hirano, Shin-Ichi

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

CS School of Engineering, Nagoya University, Nagoya, 464-01, Japan
 SO Journal of Sol-Gel Science and Technology (1994), 2(1/2/3), 175-9
 CODEN: JSGTEC; ISSN: 0928-0707
 PB Kluwer
 DT Journal
 LA English
 AB Barium titanate (BaTiO₃)/polymer composite was successfully synthesized from methacryloyloxytriisopropoxytitanium (MTPT) and Ba alkoxide. MTPT undergoes radical polymerization using AIBN at 90-150°. ¹H NMR spectra showed that MTPT reacted with Ba alkoxides yielding a complex alkoxide. BaTiO₃ particles/polymer was formed after the polymerization and hydrolysis of the complex alkoxide. The transmission electron microscopic observation revealed that crystalline BaTiO₃ particles of around 3 nm in size were dispersed in the polymer matrix.
 CC 37-3 (Plastics Manufacture and Processing)
 Section cross-reference(s): 78
 ST barium titanate polymer composite; methacryloyloxytriisopropoxytitanium barium alkoxide polymn
 IT Polymerization
 (synthesis of barium titanate/polymer composites from barium alkoxide and unsatd. titanium complexes)
 IT 7440-39-3D, Barium, alkoxides
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (synthesis of barium titanate/polymer composites from barium alkoxide and unsatd. titanium complexes)
 IT 12047-27-7P, Barium titanate, preparation **163549-92-6P**, Methacryloyloxytriisopropoxytitanium polymer
 RL: **SPN (Synthetic preparation); PREP (Preparation)**
 (synthesis of barium titanate/polymer composites from barium alkoxide and unsatd. titanium complexes)
 IT **163549-92-6P**, Methacryloyloxytriisopropoxytitanium polymer
 RL: **SPN (Synthetic preparation); PREP (Preparation)**
 (synthesis of barium titanate/polymer composites from barium alkoxide and unsatd. titanium complexes)
 RN 163549-92-6 HCAPLUS
 CN Titanium, (2-methyl-2-propenoato-O)tris(2-propanolato)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)
 CM 1
 CRN 18327-72-5
 CMF C13 H26 O5 Ti



L34 ANSWER 22 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1995:205506 HCAPLUS
 DN 122:57471
 TI Organic polymer-titanate composites with good moldability and toughness
 IN Hirano, Shinichi; Iyanagi, Koichi
 PA Pola Kasei Kogyo Kk, Japan; Hirano Shinichi
 SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF
DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 06157814	A2	19940607	JP 1993-12964	19930128
	JP 3123580	B2	20010115		
	JP 2001106692	A2	20010417	JP 2000-265924	19930128
PRAI	JP 1992-258596	A	19920928		
	JP 1993-12964	A3	19930128		

AB The title composites for ferroelecs., piezoelec. devices, etc. are formed from unsatd. Ti alkoxides Ti(OR)_{4-n}Q_n (R = short-chain alkyl; Q = acyl containing polymerizable unsatd. bond; n = 1, 2) and alkoxides of elements forming perovskite crystal structure with Ti by polymerization of the acyl group

and hydrolytic polycondensation of the alkoxy group. A composite was formed from titanium methoxide triisopropoxide, barium diethoxide, and styrene.

IC ICM C08K003-24

ICS C07F007-28; C08F030-04; C08L101-00

CC 37-6 (Plastics Manufacture and Processing)

ST acrylic titanate composite moldability toughness

IT Titanoxanes

RL: IMF (Industrial manufacture); PREP (Preparation)
(acrylic; organic polymer-titanate composites with good moldability and toughness)

IT 159179-55-2P 159179-57-4P 159179-59-6P

RL: IMF (Industrial manufacture); PREP (Preparation)

(organic polymer-titanate composites with good moldability and toughness)

IT 18327-72-5P 159179-51-8P 159179-52-9P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(organic polymer-titanate composites with good moldability and toughness)

IT 5593-70-4

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction with acrylic acid)

IT 3087-36-3, Titanium tetraethoxide

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction with crotonic acid)

IT 546-68-9

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction with methacrylic acid)

IT 79-41-4, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction with titanium alkoxides)

IT 79-10-7, 2-Propenoic acid, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction with titanium tetrabutoxide)

IT 3724-65-0, 2-Butenoic acid

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction with titanium tetraethoxide)

IT 159179-55-2P 159179-57-4P 159179-59-6P

RL: IMF (Industrial manufacture); PREP (Preparation)


(organic polymer-titanate composites with good moldability and toughness)

RN 159179-55-2 HCAPLUS

CN Titanium, dibutoxybis(2-propenoato-O)-, (T-4)-, polymer with 1-butanol titanium(4+) salt and ethanol strontium salt (9CI) (CA INDEX NAME)


CM 1

CRN 159179-51-8
CMF C14 H24 O6 Ti



CM 2


CRN 5593-70-4
CMF C4 H10 O . 1/4 Ti



● 1/4 Ti(IV)

CM 3

CRN 2914-18-3
CMF C2 H6 O . 1/2 Sr




● 1/2 Sr

RN 159179-57-4 HCAPLUS
CN Titanium, (2-methyl-2-propenoato-O)tris(2-propanolato)-, (T-4)-, polymer with ethanol barium salt and ethenylbenzene (9CI) (CA INDEX NAME)


CM 1

CRN 18327-72-5
CMF C13 H26 O5 Ti



CM 2


CRN 2914-19-4
CMF C2 H6 O . 1/2 Ba



● 1/2 Ba

CM 3


CRN 100-42-5
CMF C8 H8



RN 159179-59-6 HCAPLUS
CN Titanium, (2-butenato-O)triethoxy-, (T-4)-, polymer with ethanol calcium salt (9CI) (CA INDEX NAME)


CM 1

CRN 159179-52-9
CMF C10 H20 O5 Ti



CM 2

CRN 2914-17-2
CMF C2 H6 O . 1/2 Ca




● 1/2 Ca


L34 ANSWER 23 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1992:50251 HCAPLUS

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

DN 116:50251
 TI Studies of imido derivatives of titanium(IV)
 AU Rizvi, S. S. A.
 CS Dep. Chem., Univ. Maiduguri, Maiduguri, Nigeria
 SO Bulletin of the Chemical Society of Ethiopia (1991), 5(1), 7-10
 CODEN: BCETE6; ISSN: 1011-3924
 DT Journal
 LA English
 AB $Ti(OCHMe_2)_4-n(NHOCR)_n$ ($n = 1-4$; $R = Me, Ph, 3\text{-pyridyl}$) were prepared by the reaction of $Ti(OCHMe_2)_4$ with acetamide, benzamide, and nicotinamide in different stoichiometric ratios in anhydrous benzene. The derivs. are stable at $\leq 300^\circ$ and were characterized by elemental anal. and IR spectra.
 CC 78-7 (Inorganic Chemicals and Reactions)
 ST titanium isopropoxo amidato complex
 IT Amides, compounds
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (titanium complexes with isopropoxide)
 IT 69858-57-7P 69858-58-8P 69858-59-9P 69860-27-1P
 69860-29-3P 69860-31-7P 69860-33-9P
 69860-35-1P 69860-36-2P 69860-39-5P
 69860-41-9P 69900-49-8P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT 69860-27-1P 69860-29-3P 69860-31-7P
 69860-33-9P 69860-35-1P 69860-39-5P
 69860-41-9P 69900-49-8P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 69860-27-1 HCAPLUS
 CN Titanium, (acetamidato-N)tris(2-propanolato)-, (T-4)-, homopolymer (9CI)
 (CA INDEX NAME)
 CM 1
 CRN 69860-26-0
 CMF C11 H25 N O4 Ti




RN 69860-29-3 HCAPLUS
 CN Titanium, bis(acetamidato-N)bis(2-propanolato)-, (T-4)-, homopolymer (9CI)
 (CA INDEX NAME)
 CM 1
 CRN 69860-28-2
 CMF C10 H22 N2 O4 Ti



RN 69860-31-7 HCAPLUS
CN Titanium, tris(acetamidato-N)(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1


CRN 69860-30-6
CMF C9 H19 N3 O4 Ti



RN 69860-33-9 HCAPLUS
CN Titanium, (benzamidato-N)tris(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1


CRN 69860-32-8
CMF C16 H27 N O4 Ti



RN 69860-35-1 HCAPLUS
CN Titanium, bis(benzamidato-N)bis(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1


CRN 69860-34-0
CMF C20 H26 N2 O4 Ti



RN 69860-39-5 HCAPLUS
 CN Titanium, tris(2-propanolato)(3-pyridinecarboxamidato-N3)-, (T-4)-,
 homopolymer (9CI) (CA INDEX NAME)

CM 1


CRN 69860-38-4
 CMF C15 H26 N2 O4 Ti



RN 69860-41-9 HCAPLUS
 CN Titanium, bis(2-propanolato)bis(3-pyridinecarboxamidato-N3)-, (T-4)-,
 homopolymer (9CI) (CA INDEX NAME)

CM 1


CRN 69860-40-8
 CMF C18 H24 N4 O4 Ti



RN 69900-49-8 HCAPLUS
 CN Titanium, (2-propanolato)tris(3-pyridinecarboxamidato-N3)-, (T-4)-,
 homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 69900-48-7
 CMF C21 H22 N6 O4 Ti



L34 ANSWER 24 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1991:33115 HCAPLUS
 DN 114:33115
 TI Three-dimensionally crosslinked polyester for electrophotographic toner
 and its manufacture
 IN Kamitaki, Takaaki
 PA Canon K. K., Japan
 SO Jpn. Kokai Tokkyo Koho, 7 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 02183267	A2	19900717	JP 1989-2023	19890110
	JP 2736987	B2	19980408		
PRAI	JP 1989-2023		19890110		

AB The title polyester comprising a polyol and a polycarboxylic acid having a linkage with Ti is prepared by crosslinking of the polyester using a Ti coupler. The toner with surface smoothness is fixable in a wide range of temperature. Thus, Me terephthalate, Me trimellitate, polyoxyethylene(2,2)-2,2-bis(4-hydroxyphenyl)propane, and tetraisopropylbis(dioctylphosphite) titanate were polymerized then mixed with C.I. Pigment Yellow 17, a Cr-containing charge controller, and powdered silica to give a yellow toner. A developer comprising a coated ferrite carrier and the toner gave a clear offset-free image after 25,000 printings.

IC ICM G03G009-087
 ICS C08G063-68

CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
 Section cross-reference(s): 35

ST electrophotog developer toner polyester binder; titanium coupler crosslinked polyester toner; crosslinking agent coupler color toner; methyl terephthalate copolymer crosslinked toner; polyoxyethylene bishydroxyphenylpropane copolymer crosslinked toner

IT Polyesters, preparation
 RL: PREP (Preparation)
 (preparation of, titanium coupler-crosslinked, binder, for electrophotog. developer toner, with surface smoothness)

IT Crosslinking agents
 (titanium coupler, for polyester, for binder, for electrophotog. developer toner)

IT Binding materials
 (titanium coupler-crosslinked polyester, for electrophotog. developer toner)

IT Coupling agents
 (titanium-, crosslinking agent, for polyester, for binder, for electrophotog. developer toner)

IT Electrophotographic developers
 (toners, binder for, titanium coupler-crosslinked polyester as, with surface smoothness)

IT 131317-57-2P 131317-58-3P 131345-81-8P
 RL: PREP (Preparation)
 (preparation of, binder, for color electrophotog. developer toner, with surface smoothness)


IT 131345-81-8P
 RL: PREP (Preparation)

(preparation of, binder, for color electrophotog. developer toner, with surface smoothness)

RN 131345-81-8 HCAPLUS
 CN Titanate(2-), bis[bis(2-ethylhexyl) phosphito-O''']tetrakis(2-propanolato)-, dihydrogen, polymer with dimethyl 1,4-benzenedicarboxylate, α, α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -hydroxypoly(oxy-1,2-ethanediyl)] and trimethyl 1,2,4-benzenetricarboxylate (9CI) (CA INDEX NAME)

CM 1


CRN 65460-52-8
 CMF C44 H96 O10 P2 Ti . 2 H
 CCI CCS



● 2 H⁺


CM 2

CRN 32492-61-8
 CMF (C2 H4 O)_n (C2 H4 O)_n C15 H16 O2
 CCI PMS




CM 3

CRN 2459-10-1
 CMF C12 H12 O6



CM 4

CRN 120-61-6
CMF C10 H10 O4



L34 ANSWER 25 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1990:621285 HCAPLUS

DN 113:221285

TI Electrophotographic toners using a polyester crosslinked with an organic titanium compound

IN Kamitaki, Takaaki

PA Canon K. K., Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 01309071	A2	19891213	JP 1988-139419	19880608
PRAI	JP 1988-139419		19880608		

AB Electrophotog. toners comprise a coloring agent and a polyester resin prepared from polyhydric alcs. and polycarboxylic acids and crosslinked with a monomer or polymer $RO[TiO(OR_2)(OR_3)]_nR_1$ [I; R, $R_1 = C1-10$ alkyl; $R_2, R_3 = C1-10$ alkyl, COR4 ($R_4 = C1-10$ alkyl); $n = 1-15$]. The toners exhibit good fixability, antioffset properties, flowability, impact resistance, and charging properties. Thus, a mixture of a polyester prepared from Me terephthalate, trimellitic anhydride, propylene glycol, and I ($R = R_1 = R_2 = R_3 = Bu$; $n = 2$) 100, C.I. Pigment Yellow 17 (dye) 3.5, and a Cr-containing organic complex 4 parts was kneaded, pulverized, and mixed with a SiO_2 powder and subsequently with a resin-coated ferrite carrier to give an

electrophotog. developer, which gave high quality images and showed good durability and antioffset properties.

IC ICM G03G009-08
ICS G03G009-08

CC 74-3 (Radiation Chemistry, Photochemistry, and Photographic and Other Reprographic Processes)
Section cross-reference(s): 38

ST electrophotog toner polyester binder; titanium compd polyester toner electrophotog; crosslinked polyester toner electrophotog

IT Titanoxanes
RL: PREP (Preparation)
(dipentanoates, butyl-terminated, polymers, preparation and use of, as binder for electrostatog. developer toners)

IT Crosslinking agents
(organotitanium compds., for polyesters, electrostatog. developer toners containing)

IT Polyesters, compounds
RL: USES (Uses)
(compds., crosslinked with organotitanium compds., as binders for electrostatog. developer toners)

IT Electrophotography
(developers, toners, containing crosslinked polyester resins as binders, with good antioffset property)

IT Electrophotographic developers
(toners, containing crosslinked polyester resins as binders, with good antioffset property)

IT 50-70-4DP, D-Glucitol, copolymers with Bisphenol A-ethylene oxide adduct, Bisphenol A-propylene oxide adduct, butanol, succinic acid, terephthalic acid, and titanium salt polybasic 100-21-0DP, 1,4-Benzenedicarboxylic acid, copolymers with Bisphenol A-ethylene oxide adduct, Bisphenol A-propylene oxide adduct, butanol, sorbitol, succinic acid, and titanium salt polybasic 110-15-6DP, Butanedioic acid, copolymers with Bisphenol A-ethylene oxide adduct, Bisphenol A-propylene oxide adduct, butanol, sorbitol, terephthalic acid, and titanium salt polybasic 552-30-7DP, copolymers with Bisphenol A-propylene oxide adduct, di-Me fumarate, and titanoxanes 624-49-7DP, copolymers with Bisphenol A-propylene oxide adduct, titanoxanes and trimellitic anhydride 5593-70-4DP, copolymers with Bisphenol A-ethylene oxide adduct, Bisphenol A-propylene oxide adduct, sorbitol, succinic acid, and terephthalic acid 32492-61-8DP, copolymers with Bisphenol A-propylene oxide adduct, butanol, sorbitol, succinic acid, terephthalic acid, and titanium salt polybasic 37353-75-6DP, copolymers with Bisphenol A-ethylene oxide adduct, butanol, sorbitol, succinic acid, terephthalic acid, and titanium salt polybasic 37353-75-6DP, copolymers with diols, diacids and titanoxanes
130495-22-6P
RL: **SPN (Synthetic preparation); PREP (Preparation)**
(preparation and use of, as binder for electrostatog. developer toners)


IT **130495-22-6P**
RL: **SPN (Synthetic preparation); PREP (Preparation)**
(preparation and use of, as binder for electrostatog. developer toners)

RN 130495-22-6 HCAPLUS

CN Titanium, hexabutoxy- μ -oxodi-, polymer with 1,3-dihydro-1,3-dioxo-5-isobenzofurancarboxylic acid, dimethyl 1,4-benzenedicarboxylate and 1,2-propanediol (9CI) (CA INDEX NAME)

CM 1


CRN 7393-46-6
CMF C24 H54 O7 Ti2



CM 2

CRN 552-30-7


CMF C9 H4 O5



CM 3

CRN 120-61-6


CMF C10 H10 O4



CM 4

CRN 57-55-6

CMF C3 H8 O2



L34 ANSWER 26 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1990:406946 HCAPLUS

DN 113:6946


TI Study of immobilized catalysts. XXIV. Catalysts resulting from graft polymerization of metal-containing monomers onto polyethylene

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

AU Savost'yanov, V. S.; Pomogailo, A. D.; Ponomarev, A. N.
 CS Inst. Energ. Probl. Khim. Fiz., Chernogolovka, USSR
 SO Kinetika i Kataliz (1989), 30(6), 1414-20
 CODEN: KNKTA4; ISSN: 0453-8811
 DT Journal
 LA Russian
 AB Metal-containing graft copolymers were obtained by graft polymerization of acrylic acid transition metal salts or acrylamide transition metal complexes onto polyethylene. The valence state, coordination, and ligand environment of the metal in the graft copolymer corresponded to that in the starting monomer. Graft polymerization occurred through only 1 of the available vinyl groups of the salts and complexes, and the graft chains contained unpolymd. vinyl groups. Graft copolymers containing Ni(II) and Ti(IV) had significantly higher catalytic activity in the dimerization and polymerization of ethylene than analogous catalysts immobilized through chemical modification reactions of a polymer support.
 CC 35-8 (Chemistry of Synthetic High Polymers)
 Section cross-reference(s): 38
 ST metal contg graft copolymer; polymn catalyst metal contg copolymer; dimerization catalyst metal contg copolymer; polyethylene acrylamide metal complex grafted; acrylate metal salt grafted polyethylene; ethylene polymn immobilized metal catalyst
 IT Transition metals, uses and miscellaneous
 RL: CAT (Catalyst use); USES (Uses)
 (catalysts, polymer-supported, preparation of, by graft polymerization of acrylic salts and complexes)
 IT Polymer-supported reagents
 (catalysts, transition metals, preparation of, by graft polymerization of acrylic salts and complexes)
 IT Dimerization catalysts
 Polymerization catalysts
 (transition metals, immobilized, prepared by graft polymerization of acrylic salts and complexes, for ethylene, activity of)
 IT 111866-37-6P, Cobalt diacrylate-ethylene graft copolymer 122159-82-4P, Ethylene-nickel diacrylate graft copolymer 122159-83-5P, Ethylene-tetrakis(acrylamide)dichloronickel graft copolymer 122159-84-6P, Ethylene-iron triacrylate graft copolymer 122159-85-7P, Copper diacrylate-ethylene graft copolymer 127602-32-8P, Ethylene-tetrakis(acrylamide)dichlorochromium(1+) chloride graft copolymer 127602-89-5P, Ethylene-tributoxytitanyl acrylate graft copolymer 127602-90-8P, Chromium triacrylate-ethylene graft copolymer
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and structure and catalytic activity of)
 IT 9002-88-4P, Polyethylene 16482-32-9P, Ethylene dimer
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of, transition metal-containing acrylic graft copolymer as immobilized catalyst for)
 IT 127602-89-5P, Ethylene-tributoxytitanyl acrylate graft copolymer
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and structure and catalytic activity of)
 RN 127602-89-5 HCAPLUS
 CN Titanium, tributoxy(2-propenoato-O)-, (T-4)-, polymer with ethene, graft (9CI) (CA INDEX NAME)

CM 1

CRN 127602-88-4
CMF C15 H30 O5 Ti



CM 2

CRN 74-85-1
CMF C2 H4

H₂C=CH₂

L34 ANSWER 27 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1990:140779 HCAPLUS

DN 112:140779

TI Alkoxytitanium-based surface treatment and treated fillers

IN Mori, Atsushi; Aizawa, Mamoru; Kataoka, Yoshiharu

PA Nippon Soda Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 01170624	A2	19890705	JP 1987-329355	19871225
PRAI	JP 1987-329355		19871225		

AB Title fillers, useful for high-mol.-weight matrixes, are treated with products prepared from tetraalkoxytitanium and/or its hydrolyzed **oligomers** (d.p. ≤6) and oxyalkylene-containing acids with 0.1-2.0 mol the acid residues per Ti. Thus, 1 mol tetraisopropoxytitanium and 1 mol mono(pentaoxyethylene) maleate (I) were treated at 60° for 1 h to give title treatment. Then, 100 parts Whiton SSB was mixed with 50 parts of 2% aqueous solution of the treatment and treated at 110° for 2 h to give a filler, 100 parts of which was blended with 75 parts Diol 3000 and kneaded for 30 min to give a composition showing viscosity 4000 cP at 25° vs. 62,000 for a composition using a treatment prepared similarly using N-aminoethylaminoethanol instead of I.

IC ICM C08K009-04

ICS C08K009-04; C09C001-36

CC 38-3 (Plastics Fabrication and Uses)

ST alkoxytitanium surface treatment filler; alkylene ether acid alkoxytitanium adduct; isopropoxytitanium polyoxyethylene maleate surface treatment; calcium carbonate filler surface treatment

IT Polyethers, uses and miscellaneous


RL: USES (Uses)

(fillers for, surface-treatment for, alkoxytitanium-based compds. as)


IT 112263-55-5, Diol 3000

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

RL: USES (Uses)
 (fillers for, surface-treatment for, alkoxytitanium-based compds. as)
 IT 105417-75-2, Almatex E 175
 RL: USES (Uses)
 (fillers for, surface-treatments for, alkoxytitanium-based compds. as)
 IT 5593-70-4DP, reaction products with polyoxyalkylene-containing acids
 26183-44-8DP, reaction products with tetraisopropoxytitanium tetramer
 31800-89-2DP, reaction products with tetrabutoxytitanium 80165-12-4DP,
 reaction products with tetrabutoxytitanium hexamers 82293-55-8DP,
 reaction products with polyoxyalkylene-containing acids 125826-06-4DP,
 reaction products with polyoxyalkylene-containing acids 125870-89-5DP,
 reaction products with polyoxyalkylene-containing acids **125925-79-3P**
 125925-80-6DP, reaction products with tetraisopropoxytitanium
 125925-81-7DP, reaction products with tetraisopropoxytitanium pentamer
 RL: **PREP (Preparation)**
 (preparation of, as surface treatment for fillers)
 IT 471-34-1, Whiton SSB, uses and miscellaneous
 RL: USES (Uses)
 (surface treatment for, alkoxytitanium-based compds. as)
 IT **125925-79-3P**
 RL: **PREP (Preparation)**
 (preparation of, as surface treatment for fillers)
 RN 125925-79-3 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy-, ether with
 [T-4-(Z)]-[mono(2-hydroxyethyl) 2-butenedioato-O4]tris(2-
 propanolato)titanium (1:1) (9CI) (CA INDEX NAME)



L34 ANSWER 28 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1988:22315 HCAPLUS
 DN 108:22315
 TI Preparation and reactivity of metal-containing monomers. 6.
 Polymerization of metal-containing monomers based on Ti(IV) alkoxy
 derivatives and properties of the products
 AU Dzhardimalieva, G. I.; Tonoyan, A. O.; Pomogailo, A. D.; Davtyan, S. P.
 CS Inst. Khim. Fiz., Chernogolovka, USSR
 SO Izvestiya Akademii Nauk SSSR, Seriya Khimicheskaya (1987), (8), 1744-8
 CODEN: IASKA6; ISSN: 0002-3353
 DT Journal
 LA Russian
 GI



AB The radical homopolymn. of (BuO)₃TiOR (I; R = CH₂CH₂O₂CMeC:CH₂, CMe₂C.tplbond.CCH:CH₂, R1, R2) in C₆H₆ was 0.5 order with respect to monomer concentration, which was attributed to coordination of catalyst radicals with the monomer and participation of such monomer-coordinated radicals predominately in chain termination. I homopolymers had high thermal stability (attributed to network formation) and 2 glass transition temps. and exhibited viscoelasticity.

CC 35-3 (Chemistry of Synthetic High Polymers)

ST titanium contg polymer prepn property; polymn unsatd butoxytitanium compd kinetics

IT Glass temperature and transition (of titanium-containing vinyl polymers)

IT Kinetics of polymerization (radical, of tributoxytitanium-containing vinyl compds., monomer-radical coordination in relation to)

IT 96301-49-4 112130-34-4 112144-98-6 112144-99-7
RL: RCT (Reactant); RACT (Reactant or reagent) (polymerization of, kinetics of)

IT 112130-35-5P **112145-50-3P**
RL: PRP (Properties); **SPN (Synthetic preparation); PREP (Preparation)** (preparation and thermal properties of)

IT **112145-50-3P**
RL: PRP (Properties); **SPN (Synthetic preparation); PREP (Preparation)** (preparation and thermal properties of)


RN 112145-50-3 HCAPLUS

CN Titanium, tributoxy(2-methyl-5-hexen-3-yn-2-olato)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 96301-49-4

CMF C19 H36 O4 Ti



L34 ANSWER 29 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1986:461753 HCAPLUS

DN 105:61753

TI Rust-preventing epoxy resin compositions

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

IN Sato, Shigeyuki; Matsushita, Mitsumasa
 PA Toyota Central Research and Development Laboratories, Inc., Japan
 SO U.S., 20 pp.
 CODEN: USXXAM
 DT Patent
 LA English
 FAN.CNT 11

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 4560716	A	19851224	US 1984-643921	19840824
	JP 60051712	A2	19850323	JP 1983-158756	19830830
	JP 60058426	A2	19850404	JP 1983-167175	19830909
	JP 60076529	A2	19850501	JP 1983-185538	19831003
	JP 60079025	A2	19850504	JP 1983-186201	19831005
	JP 60079026	A2	19850504	JP 1983-188005	19831006
	JP 60079027	A2	19850504	JP 1983-188006	19831006
	JP 60101114	A2	19850605	JP 1983-208821	19831107
	JP 60110721	A2	19850617	JP 1983-218454	19831119
	JP 60124620	A2	19850703	JP 1983-234475	19831212
	JP 60127320	A2	19850708	JP 1983-236530	19831215
	JP 61023622	A2	19860201	JP 1984-145141	19840712
	JP 61028519	A2	19860208	JP 1984-149246	19840718
	JP 61031423	A2	19860213	JP 1984-152673	19840723
	JP 61034014	A2	19860218	JP 1984-156320	19840726
	JP 61036316	A2	19860221	JP 1984-158500	19840727
PRAI	JP 1983-158756		19830830		
	JP 1983-167175		19830909		
	JP 1983-185538		19831003		
	JP 1983-186201		19831005		
	JP 1983-188005		19831006		
	JP 1983-188006		19831006		
	JP 1983-208821		19831107		
	JP 1983-218454		19831119		
	JP 1983-234475		19831212		
	JP 1983-236530		19831215		
	JP 1984-145141		19840712		
	JP 1984-149246		19840718		
	JP 1984-152673		19840723		
	JP 1984-156320		19840726		
	JP 1984-158500		19840727		
AB	The title compns. comprise an epoxy resin, a hardener, and ≥ 1 additive for forming a rust-preventing film selected from compds. HSP(S)(OR)OR1 (R and R1 = C1-24 alkyl, aryl, or alkenyl), and their metal or ammonium salts, compds. (R2NR3CS2)nMm (R2 and R3 = C1-18 alkyl, aryl, alkenyl, aralkyl; NR2R3 = cyclic radical; M = Zn, Mo, Fe, Cu, Pb, etc.; n and m = integer), and oxidized waxes. In some cases, the compns. also contain siloxanes, Al compds., Ti compds., and tin compds. The cured compns. have good resistance to high temperature and high humidity and are useful as rust-preventing encapsulating materials for semiconductor devices, etc. Thus, a mixture of o-cresol novolak epoxy resin 75, bisphenol A epoxy resin 25, phenol novolak 50, 2-phenylimidazole 3, silica 350, epoxysilane 2, carnauba wax 2, and Zn dioctyl dithiophosphate (I) 2 parts was used to encapsulate an elec. element by transfer molding at 175° for 3 min and curing 8 h at 165°. The encapsulated element exhibited moisture resistance (in saturated steam at 121°/2 atm until elec. conductivity stopped) 420 h, vs. 110 for a mixture without I.				
IC	ICM C08K005-39				
	ICS C08K005-49				
NCL	523451000				

CC 38-3 (Plastics Fabrication and Uses)

ST encapsulating epoxy waterproofing additive; potting epoxy waterproofing additive; heat resistance epoxy potting; corrosion prevention epoxy potting; thiophosphate waterproofing epoxy potting; thiocarbamate waterproofing epoxy potting; wax waterproofing epoxy potting; siloxane waterproofing epoxy potting; aluminum compd waterproofing epoxy; titanium compd waterproofing epoxy; tin compd waterproofing epoxy

IT Potting
(compns., epoxy, water- and corrosion-resistant)

IT Heat-resistant materials
(epoxy potting compns.)

IT Siloxanes and Silicones, uses and miscellaneous
RL: POF (Polymer in formulation); PRP (Properties); TEM (Technical or engineered material use); USES (Uses)
(epoxy potting compns. containing, water- and corrosion-resistant)

IT Carnauba wax
Paraffin waxes and Hydrocarbon waxes, uses and miscellaneous
RL: USES (Uses)
(oxidized, epoxy potting compns. containing, water- and corrosion-resistant)

IT Epoxy resins, uses and miscellaneous
RL: USES (Uses)
(potting compns., for elec. apparatus, water- and corrosion-resistant)


IT Waterproofing
(agents, epoxy potting compns. containing)

IT 56-35-9 56-36-0 57-11-4D, titanium polymeric complexes 77-58-7
123-54-6D, titanium polymeric complexes 136-23-2 137-29-1
141-97-9D, titanium complexes 546-68-9 555-31-7 556-91-2
595-90-4 637-12-7 818-08-6 910-06-5 1068-31-1 1070-10-6
1071-06-3 1071-18-7 1185-81-5 1186-33-0 1461-25-2 2253-60-3
2269-22-9 2929-95-5 3085-30-1 3090-35-5 3090-36-6 3572-47-2
3605-65-0 4259-15-8 4342-36-3 4563-55-7 5128-29-0 5593-70-4
5847-55-2 6028-57-5 6990-43-8 7059-15-6 7059-16-7 7230-93-5
7282-31-7 7439-98-7D, salts with dithiophosphate esters 7440-32-6D,
complexes 7440-66-6D, salts with dithiophosphate esters 9022-96-2
13269-74-4 13419-15-3 13681-87-3 13878-54-1 14024-64-7
14275-53-7 14275-57-1 14324-55-1 14634-93-6 14728-88-2
15167-49-4 15225-85-1 15306-17-9 15337-18-5 15666-28-1
15694-56-1 15796-28-8 15834-33-0D, esters, metal salts 15874-15-4
18475-38-2 18819-97-1 20260-60-0 22205-26-1 25103-54-2
27147-18-8 27738-95-0 31320-65-7 36190-63-3 36190-64-4
37066-82-3 39317-20-9 41556-46-1 43100-11-4 53423-98-6
54261-67-5 60755-39-7 61417-55-8 62180-92-1 64060-97-5
64157-14-8 65460-53-9 66197-44-2 66447-32-3 66625-69-2
66625-70-5 68425-65-0 68443-53-8 74378-43-1 75113-35-8
75752-67-9 79110-90-0 89370-59-2 95297-96-4 97922-83-3
99714-56-4 100835-88-9 100907-92-4 102304-60-9 102328-54-1
102390-10-3 102390-11-4 102390-12-5 **104764-71-8**
RL: POF (Polymer in formulation); PRP (Properties); TEM (Technical or engineered material use); USES (Uses)
(epoxy potting compns. containing, water- and corrosion-resistant)

IT **141-97-9D**, titanium complexes **104764-71-8**
RL: POF (Polymer in formulation); PRP (Properties); TEM (Technical or engineered material use); USES (Uses)
(epoxy potting compns. containing, water- and corrosion-resistant)

RN 141-97-9 HCAPLUS


CN Butanoic acid, 3-oxo-, ethyl ester (9CI) (CA INDEX NAME)



RN 104764-71-8 HCAPLUS
CN Titanium, tributoxy(1-octadecanolato)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 74378-43-1
CMF C30 H64 O4 Ti



L34 ANSWER 30 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1986:151300 HCAPLUS
DN 104:151300
TI Dispersion improvers for inorganic fillers
IN Sato, Masayuki; Kobayashi, Noriyuki; Funamoto, Akihiko; Kataoka, Yoshiharu; Ando, Yoshuki
PA Nippon Soda Co., Ltd., Japan
SO Jpn. Kokai Tokkyo Koho, 6 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 60143820	A2	19850730	JP 1983-241447	19831222
	JP 04013018	B4	19920306		
PRAI	JP 1983-241447		19831222		

AB Compds. (RO)4-xTi[(OR1)nOR2]x (R = C1-8 hydrocarbyl, R1 = C4-22 divalent hydrocarbyl, R2 = C4-22 hydrocarbyl, average x = 1-3, average n = 1-20) are useful for dispersing organic fillers in organic compns. such **coating** compns., inks, and adhesives. Thus, 284 g (iso-PrO)4Ti and 1188 g p-(C9H19)C6H4O(C2H4O)4H were heated at 60-75° to give 1292 g iso-PrOTi[(OC2H4)4O-p-C6H4C9H10]3 (I). A mixture of Epikote 828 100, I 0.5, TiO2 0.5, and xylene 37.6 parts was homogeneous, had viscosity 310 cP, and contained no sediment, vs. 820 cP and sediment when the composition contained no I.

IC ICM B01F017-42
ICA C07F007-28
CC 46-4 (Surface Active Agents and Detergents)
Section cross-reference(s): 37, 42
ST dispersing agent ethoxylate titanate; titania dispersant epoxy soln; filler dispersant ethoxylate titanate
IT Epoxy resins, uses and miscellaneous
RL: USES (Uses)
(dispersing agents for inorg. fillers in organic solution of)

IT Titanates
 RL: USES (Uses)
 (of ethoxylated alcs., dispersing agents, for inorg. fillers in organic media)

IT Dispersing agents
 (titanates of ethoxylated alcs., for inorg. fillers in organic media)

IT 25068-38-6
 RL: USES (Uses)
 (dispersing agents for inorg. fillers in organic solns. of)

IT 13463-67-7, uses and miscellaneous
 RL: USES (Uses)
 (dispersing agents for, in organic solution of epoxy resin)

IT 101310-69-4P 101310-70-7P 101364-91-4P
 101466-08-4P 101466-09-5P
 RL: IMF (Industrial manufacture); PREP (Preparation)
 (preparation of, as dispersing agent for inorg. fillers in organic media)


IT 546-68-9 5593-70-4
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (transesterification of, with ethoxylated alcs.)

IT 9002-92-0 9064-14-6 26027-38-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (transesterification of, with tetraalkyl titanates)


IT 101310-69-4P 101310-70-7P 101364-91-4P
 RL: IMF (Industrial manufacture); PREP (Preparation)
 (preparation of, as dispersing agent for inorg. fillers in organic media)

RN 101310-69-4 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -(dodecyloxy)-, ether with
 (T-4)-dibutoxybis(1,2-ethanediolato-O)titanium (2:1) (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 101310-70-7 HCAPLUS
 CN Poly(oxy-1,2-ethanediyl), α -hydro- ω -(4-nonylphenoxy)-, ether
 with (T-4)-tris(1,2-ethanediolato-O)(2-propanolato)titanium (3:1) (9CI)
 (CA INDEX NAME)

PAGE 1-A




PAGE 1-B




RN 101364-91-4 HCAPLUS
CN Poly[oxy(methyl-1,2-ethanediyl)], α -hydro- ω -(dodecyloxy)-,
ether with (T-4)-butoxytris(methyl-1,2-ethanediolato-O)titanium (3:1)
(9CI) (CA INDEX NAME)

PAGE 1-A




3 (D1-Me)

PAGE 1-B




L34 ANSWER 31 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1984:28822 HCAPLUS
 DN 100:28822
 TI Chemistry of substituted sulfuric acids: Part XVIII - Preparation of
 methanesulfonatotitanium(IV) chloroacetates
 AU Kumar, Suniti; Mahajan, R. K.; Kapila, V. P.
 CS Dep. Chem., Panjab Univ., Chandigarh, 160 014, India
 SO Indian Journal of Chemistry, Section A: Inorganic, Physical, Theoretical
 & Analytical (1983), 22A(6), 490-3
 CODEN: IJCADU; ISSN: 0376-4710
 DT Journal
 LA English
 AB The solvolysis of $TiCl_n(MeSO_3)_4-n$ ($n = 1-3$) with $ClmH_3-mCCO_2H$ ($m = 1-3$, HL)
 gave $TiLn(MeSO_3)_4-n$ ($n = 1-3$). Most of the compds. have bridging $MeSO_3$
 groups and $Ti[O_6]$ chromophores. Thermochem. show that these are good
 Lewis acids. $MeSO_3$ is a better coordinating group than L. $TiLn(MeSO_3)_4-n$
 form 1:1 and 1:2 complexes with 2,2'-bipyridine and pyridine, resp. The
 pyridine complexes decompose to TiO_2 .
 CC 78-7 (Inorganic Chemicals and Reactions)
 Section cross-reference(s): 69
 ST titanium methanesulfonato chloroacetate pyridine bipyridine; acidity
 titanium methanesulfonato chloroacetato
 IT 86995-59-7P 86999-51-1P 86999-53-3P
 86999-55-5P 86999-57-7P 86999-59-9P 86999-61-3P
 86999-63-5P 87097-93-6P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and Lewis acidity towards pyridine or bipyridine)
 IT 86995-47-3P 86995-49-5P 86995-51-9P 86995-53-1P 86995-55-3P
 86995-57-5P 87015-17-6P 87015-19-8P 87015-21-2P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and thermal decomposition of)
 IT 86995-48-4P 86995-50-8P 86995-52-0P 86995-54-2P 86995-56-4P
 86995-58-6P 87015-18-7P 87015-20-1P 87015-22-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT 30321-36-9 55042-26-7 55042-27-8
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (solvolysis of, titanium methanesulfonate chloroacetato complexes from)
 IT 86999-51-1P 86999-53-3P 86999-55-5P
 86999-57-7P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and Lewis acidity towards pyridine or bipyridine)
 RN 86999-51-1 HCAPLUS
 CN Titanium, bis(methanesulfonato-O)bis(trichloroacetato-O)-, (T-4)-,
 homopolymer (9CI) (CA INDEX NAME)
 CM 1
 CRN 86999-50-0
 CMF C6 H6 Cl6 O10 S2 Ti



RN 86999-53-3 HCAPLUS
 CN Titanium, tris(chloroacetato-O)(methanesulfonato-O)-, (T-4)-, homopolymer
 (9CI) (CA INDEX NAME)

CM 1


CRN 86999-52-2
 CMF C7 H9 Cl3 O9 S Ti



RN 86999-55-5 HCAPLUS
 CN Titanium, tris(dichloroacetato-O)(methanesulfonato-O)-, (T-4)-,
 homopolymer (9CI) (CA INDEX NAME)

CM 1


CRN 86999-54-4
 CMF C7 H6 Cl6 O9 S Ti



RN 86999-57-7 HCAPLUS
 CN Titanium, (methanesulfonato-O)tris(trichloroacetato-O)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 86999-56-6
 CMF C7 H3 Cl9 O9 S Ti



L34 ANSWER 32 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1979:179349 HCAPLUS
 DN 90:179349
 TI Imido derivatives of titanium(IV)
 AU Nahar, K. R.; Solanki, A. K.; Bhandari, A. M.
 CS Dep. Chem., Univ. Jodhpur, Jodhpur, India
 SO Zeitschrift fuer Anorganische und Allgemeine Chemie (1979), 449, 187-92
 CODEN: ZAACAB; ISSN: 0044-2313
 DT Journal
 LA English
 AB The reactions of $\text{Ti}(\text{OPr-iso})_4$ with RCONH_2 ($\text{R} = \text{Me}, \text{Ph}, 3\text{-pyridyl}$) in different stoichiometric ratios in anhydrous C_6H_6 gave the complexes of the type $(\text{iso-PrO})_4\text{-nTi}(\text{NHCOR})_n$ ($n = 1\text{-}4$). All the complexes are insol. in common organic solvents, suggesting their polymeric nature. With the exception of $(\text{iso-PrO})_2\text{Ti}(\text{NHCOR})_2$ ($\text{R} = \text{Ph}, 3\text{-pyridyl}$) and $\text{Ti}(\text{NHCOR})_4$ ($\text{R} = 3\text{-pyridyl}$), the complexes do not sublime at 250° in vacuum nor do they decompose appreciably at $<300^\circ$. The IR spectra are discussed.
 CC 78-7 (Inorganic Chemicals and Reactions)
 ST amido isopropoxy titanium complexes; benzamido isopropoxy titanium; acetamido isopropoxy titanium; nicotinamido isopropoxy titanium
 IT 69858-57-7P 69858-58-8P 69858-59-9P **69860-27-1P**

69860-29-3P 69860-31-7P 69860-33-9P
69860-35-1P 69860-37-3P 69860-39-5P
69860-41-9P 69900-49-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

IT 69860-27-1P 69860-29-3P 69860-31-7P
69860-33-9P 69860-35-1P 69860-37-3P
69860-39-5P 69860-41-9P 69900-49-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 69860-27-1 HCAPLUS

CN Titanium, (acetamidato-N)tris(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1

CRN 69860-26-0

CMF C11 H25 N O4 Ti




RN 69860-29-3 HCAPLUS

CN Titanium, bis(acetamidato-N)bis(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1

CRN 69860-28-2

CMF C10 H22 N2 O4 Ti




RN 69860-31-7 HCAPLUS

CN Titanium, tris(acetamidato-N)(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1

CRN 69860-30-6


CMF C9 H19 N3 O4 Ti



RN 69860-33-9 HCAPLUS
CN Titanium, (benzamidato-N)tris(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1


CRN 69860-32-8
CMF C16 H27 N O4 Ti



RN 69860-35-1 HCAPLUS
CN Titanium, bis(benzamidato-N)bis(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1


CRN 69860-34-0
CMF C20 H26 N2 O4 Ti



RN 69860-37-3 HCAPLUS
CN Titanium, tris(benzamidato-N)(2-propanolato)-, (T-4)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1


CRN 69860-36-2
CMF C24 H25 N3 O4 Ti



RN 69860-39-5 HCAPLUS
 CN Titanium, tris(2-propanolato)(3-pyridinecarboxamidato-N3)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1


CRN 69860-38-4
 CMF C15 H26 N2 O4 Ti



RN 69860-41-9 HCAPLUS
 CN Titanium, bis(2-propanolato)bis(3-pyridinecarboxamidato-N3)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1


CRN 69860-40-8
 CMF C18 H24 N4 O4 Ti




RN 69900-49-8 HCAPLUS
 CN Titanium, (2-propanolato)tris(3-pyridinecarboxamidato-N3)-, (T-4)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 69900-48-7
 CMF C21 H22 N6 O4 Ti




L34 ANSWER 33 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1978:15270 HCAPLUS
 DN 88:15270
 TI Oxozirconium(IV) alkoxides
 AU Paul, Ram Chand; Gupta, Surinder Kumar; Goyal, Veena; Vasisht, Sham Kumar
 CS Dep. Chem., Panjab Univ., Chandigarh, India
 SO Monatshefte fuer Chemie (1977), 108(5), 1019-25
 CODEN: MOCMB7; ISSN: 0026-9247
 DT Journal
 LA English
 AB Oxozirconium(IV) alkoxides of the type $ZrO(OR)_2 \cdot ROH$ and $ZrOCl(OR) \cdot 2ROH$, where R = Me, Et, and iso-Pr, and $ZrO(OCMe_3)_2 \cdot 0.5 Me_3COH$ and $ZrOCl(OCMe_3) \cdot 1.5 Me_3COH$ were prepared by the reaction of $ZrOCl_2 \cdot 2HOAc$ with the corresponding alcs. in the presence of appropriate amts. of piperidine. The alkoxides were isolated and characterized through IR, thermal, and conductance studies.
 CC 78-7 (Inorganic Chemicals and Reactions)
 ST zirconyl alkoxides
 IT Infrared spectra
 (of zirconyl alkoxide)
 IT 65010-39-1P 65010-41-5P 65010-43-7P 65010-45-9P **65048-31-9P**
65048-33-1P 65048-35-3P 65153-56-2P
 RL: PRP (Properties); RCT (Reactant); **SPN (Synthetic preparation)**
 ; **PREP (Preparation)**; RACT (Reactant or reagent)
 (preparation, IR spectrum and thermal decomposition of)
 IT 63239-16-7
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reactions of, with alcs.)
 IT **65048-31-9P 65048-33-1P 65048-35-3P**
 RL: PRP (Properties); RCT (Reactant); **SPN (Synthetic preparation)**
 ; **PREP (Preparation)**; RACT (Reactant or reagent)
 (preparation, IR spectrum and thermal decomposition of)
 RN 65048-31-9 HCAPLUS
 CN Zirconium, hydroxytrimethoxy-, homopolymer (9CI) (CA INDEX NAME)
 CM 1
 CRN 65048-30-8
 CMF C3 H10 O4 Zr



RN 65048-33-1 HCAPLUS
CN Zirconium, triethoxyhydroxy-, homopolymer (9CI) (CA INDEX NAME)

CM 1


CRN 65048-32-0
CMF C6 H16 O4 Zr



RN 65048-35-3 HCAPLUS
CN Zirconium, hydroxytris(2-propanolato)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 65048-34-2
CMF C9 H22 O4 Zr



L34 ANSWER 34 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1977:415285 HCAPLUS
DN 87:15285
TI Reactions of dichloroxozirconium(IV) octahydrate with monocarboxylic acid chlorides
AU Paul, Ram Chand; Gupta, Surinder Kumar; Sharma, Rajendra Dev; Vasisht, Sham Kumar
CS Dep. Chem., Panjab Univ., Chandigarh, India
SO Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie (1977), 32B(5), 543-6
CODEN: ZNBAD2; ISSN: 0340-5087
DT Journal
LA English
AB $\text{ZrOCl}_2 \cdot 8\text{H}_2\text{O}$ reacts with acetyl, propionyl, butyryl and chloroacetyl chlorides at low temps. to form addition compds. of the parent carboxylic acid, $\text{ZrOCl}_2 \cdot 2\text{RCO}_2\text{H}$, but at higher temps. the corresponding carboxylates of the type $\text{ZrO}(\text{RCO}_2)_2 \cdot \text{RCO}_2\text{H}$ are obtained. Benzoyl chloride does not react at low temps., but at 60° gives an addition product

ZrOCl₂·2PhCO₂H, and at higher temps. a substitution product ZrO(PhCO₂)₂·2PhCO₂H is obtained. Elemental analyses, molar conductance measurements, IR spectral studies and thermal decompns. have been carried out to understand the nature of these compds.

CC 78-7 (Inorganic Chemicals and Reactions)

ST zirconium carboxylic acid chloride

IT 59650-54-3P 63161-87-5P 63161-89-7P
63161-91-1P 63221-63-6P 63239-17-8P
63239-19-0P 63239-21-4P 63239-23-6P
63288-62-0P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

IT 75-36-5 79-03-8 79-04-9 141-75-3

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with dichlorooxozirconium octahydrate)

IT 13520-92-8

RL: RCT (Reactant); RACT (Reactant or reagent)
(reactions of, with carboxylic acid chlorides)

IT 59650-54-3P 63161-87-5P 63161-89-7P
63161-91-1P 63221-63-6P 63239-17-8P
63239-19-0P 63239-21-4P 63239-23-6P
63288-62-0P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 59650-54-3 HCAPLUS


CN Zirconate(1-), tris(acetato-O)oxo-, hydrogen, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 59650-53-2

CMF C6 H9 O7 Zr . H

CCI CCS



● H⁺

RN 63161-87-5 HCAPLUS


CN Zirconate(1-), oxotris(propionoato-O)-, hydrogen, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 63161-86-4

CMF C9 H15 O7 Zr . H

CCI CCS




● H⁺

RN 63161-89-7 HCAPLUS
CN Zirconate(1-), tris(butanoato-O)oxo-, hydrogen, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 63161-88-6
CMF C12 H21 O7 Zr . H
CCI CCS




● H⁺

RN 63161-91-1 HCAPLUS
CN Zirconate(2-), tetrakis(benzoato-O)oxo-, dihydrogen, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 63161-90-0
CMF C28 H20 O9 Zr . 2 H
CCI CCS




● 2 H⁺

RN 63221-63-6 HCAPLUS
 CN Zirconate(1-), 3-(chloroacetato-O)oxo-, hydrogen, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 63221-62-5
 CMF C6 H6 Cl3 O7 Zr . H
 CCI CCS




● H⁺

RN 63239-17-8 HCAPLUS
 CN Zirconate(2-), bis(acetato-O)dichlorooxo-, dihydrogen, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 63239-16-7
 CMF C4 H6 Cl2 O5 Zr . 2 H
 CCI CCS




● 2 H⁺

RN 63239-19-0 HCAPLUS
CN Zirconate(2-), bis(butanoato-O)dichlorooxo-, dihydrogen, homopolymer (9CI)
(CA INDEX NAME)

CM 1

CRN 63239-18-9
CMF C8 H14 Cl2 O5 Zr . 2 H
CCI CCS




● 2 H⁺

RN 63239-21-4 HCAPLUS
CN Zirconate(2-), dichlorobis(chloroacetato-O)oxo-, dihydrogen, homopolymer
(9CI) (CA INDEX NAME)

CM 1

CRN 63239-20-3
CMF C4 H4 Cl4 O5 Zr . 2 H
CCI CCS




● 2 H⁺

RN 63239-23-6 HCAPLUS
CN Zirconate(2-), bis(benzoato-O)dichlorooxo-, dihydrogen, homopolymer (9CI)
(CA INDEX NAME)

CM 1

CRN 63239-22-5
CMF C14 H10 Cl2 O5 Zr . 2 H
CCI CCS




● 2 H⁺

RN 63288-62-0 HCAPLUS
CN Zirconate(2-), dichlorooxobis(propanoato-O)-, dihydrogen, homopolymer
(9CI) (CA INDEX NAME)


CM 1

CRN 63288-61-9
CMF C6 H10 Cl2 O5 Zr . 2 H
CCI CCS



● 2 H⁺


L34 ANSWER 35 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1977:132686 HCAPLUS
 DN 86:132686
 TI Complexes of alkoxy- and dialkoxytitanium(IV) chlorides with some
 bidentate ligands
 AU Paul, R. C.; Gupta, P. K.; Bindra, Kanwaljeet; Chadha, S. L.
 CS Dep. Chem., Panjab Univ., Chandigarh, India
 SO Indian Journal of Chemistry, Section A: Inorganic, Physical, Theoretical
 & Analytical (1976), 14(10), 776-7
 CODEN: IJCADU; ISSN: 0376-4710
 DT Journal
 LA English
 AB 1:1 Complexes of phthalimide and succinimide and 1:2 complexes of
 a,a'-dipyridyl and its dioxide and 1,10-phenanthroline with ROTiCl₃ (where
 R = Me, Et, C₂H₄Cl and C₂H₂F₃) along with 1:1 complexes of phthalimide and
 succinimide with (MeO)₂TiCl₂ were prepared These complexes were
 characterized by anal. and IR spectral data. Ti(IV) in these complexes
 acquires 6-coordination by chloride bridging.
 CC 78-7 (Inorganic Chemicals and Reactions)
 ST titanium alkoxy imide bipyridine chloride; phthalimide titanium alkoxy
 chloride complex; succinimide titanium alkoxy chloride complex;
 phenanthroline titanium alkoxy chloride complex
 IT 62363-33-1P 62363-35-3P 62363-37-5P 62363-39-7P 62363-41-1P
 62363-43-3P 62363-45-5P 62425-81-4P 62828-94-8P
 62828-95-9P 62828-96-0P 62828-97-1P 62828-98-2P 62828-99-3P
 62842-68-6P 62842-69-7P 62842-70-0P 62842-71-1P 62842-72-2P
 62976-15-2P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT 62363-45-5P 62425-81-4P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 62363-45-5 HCAPLUS
 CN Titanium, dichlorodimethoxy(2,5-pyrrolidinedione-O)-, homopolymer (9CI)
 (CA INDEX NAME)
 CM 1
 CRN 62363-44-4
 CMF C6 H11 Cl2 N O4 Ti
 CCI CCS



RN 62425-81-4 HCAPLUS
CN Titanium, dichloro(1H-isoindole-1,3(2H)-dione-O)dimethoxy-, homopolymer
(9CI) (CA INDEX NAME)

CM 1

CRN 62425-80-3
CMF C10 H11 Cl2 N O4 Ti
CCI CCS




L34 ANSWER 36 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1976:413203 HCAPLUS
DN 85:13203
TI On some oxozirconium(IV) compounds
AU Paul, R. C.; Gupta, S. K.; Parmar, S. S.; Vasisht, Sham K.
CS Dep. Chem., Panjab Univ., Chandigarh, India
SO Zeitschrift fuer Anorganische und Allgemeine Chemie (1976), 423(1), 91-6
CODEN: ZAACAB; ISSN: 0044-2313
DT Journal
LA English
AB Some new oxozirconium(IV) complexes: ZrO(An)₂, ZrO(Gly)₂, ZrO(HSal)₂, ZrO(HPth)₂, ZrO(Pic)₂(HPic)₂, and ZrO(Quin)₂(HQuin)₂ were isolated from the reactions of ZrO(OAc)₂AcOH with anthranilic acid (HAn), glycine (HGly), salicylic acid (H₂Sal), phthalic acid (H₂Pth), picolinic acid (HPic), and 8-quinolinol (HQuin) resp. Their important ir bands and wherever possible molar conductance and mol. weight were reported.
CC 78-7 (Inorganic Chemicals and Reactions)
ST zirconyl complex; anthranilic acid zirconyl complex; glycine zirconyl complex; salicylic acid zirconyl complex; phthalic acid zirconyl complex; picolinic acid zirconyl complex; quinolinol zirconyl complex
IT 59596-21-3P 59596-23-5P 59596-25-7P
59650-44-1P 59650-45-2P 59650-54-3P 59650-71-4P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
IT 59596-21-3P 59596-23-5P 59596-25-7P
59650-54-3P 59650-71-4P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 59596-21-3 HCAPLUS
CN Zirconium, bis(2-aminobenzoato-O)oxo-, homopolymer (9CI) (CA INDEX NAME)

CM 1


CRN 59596-20-2
CMF C14 H12 N2 O5 Zr



RN 59596-23-5 HCAPLUS
CN Zirconium, bis(carbamato-O)oxo-, homopolymer (9CI) (CA INDEX NAME)

CM 1


CRN 59596-22-4
CMF C2 H4 N2 O5 Zr



RN 59596-25-7 HCAPLUS
CN Zirconate(2-), bis[1,2-benzenedicarboxylato(2-)-O]oxo-, dihydrogen, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 59596-24-6
CMF C16 H8 O9 Zr . 2 H




● 2 H⁺

RN 59650-54-3 HCAPLUS
CN Zirconate(1-), tris(acetato-O)oxo-, hydrogen, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 59650-53-2
CMF C6 H9 O7 Zr . H
CCI CCS




● H⁺

RN 59650-71-4 HCAPLUS
CN Zirconium, bis(2-hydroxybenzoato-O1)oxo-, homopolymer (9CI) (CA INDEX NAME)


CM 1

CRN 59650-70-3
CMF C14 H10 O7 Zr



L34 ANSWER 37 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1976:144093 HCAPLUS
DN 84:144093
TI Zirconium and oxozirconium IV formates
AU Paul, Ram Chand; Baidya, Om B.; Kapoor, R.
CS Dep. Chem., Panjab Univ., Chandigarh, India
SO Zeitschrift fuer Naturforschung, Teil B: Anorganische Chemie, Organische Chemie (1976), 31B(3), 300-3
CODEN: ZNBAD2; ISSN: 0340-5087
DT Journal
LA English
AB Zr(OOCH)₄ and ZrO(OOCH)₂·2H₂O were prepared by the reactions of ZrCl₄ and ZrOCl₂ with anhydrous formic acid, resp. The compds. were characterized by elemental analyses, molar conductance, thermogravimetry and ir spectral data. The compds. are nonelectrolytes in PhNO₂ and have polymeric structures.
CC 78-7 (Inorganic Chemicals and Reactions)
ST zirconium oxo formate polymer
IT 59317-80-5P 59318-75-1P
RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)
IT 7699-43-6 10026-11-6
RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of, with formic acid)
IT 64-18-6, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)
 (with zirconium tetrachloride and dichlorooxozirconium)
 IT 59318-75-1P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 59318-75-1 HCAPLUS
 CN Zirconium, diaquabis(formato-O)oxo-, homopolymer (9CI) (CA INDEX NAME)
 CM 1
 CRN 59318-74-0
 CMF C2 H6 O7 Zr
 CCI CCS



L34 ANSWER 38 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1974:132729 HCAPLUS
 DN 80:132729
 TI Zirconium glycoxides
 AU Saxena, U. B.; Rai, A. K.; Mehrotra, R. C.
 CS Chem. Lab., Univ. Rajasthan, Jaipur, India
 SO Inorganica Chimica Acta (1973), 7(4), 681-4
 CODEN: ICHAA3; ISSN: 0020-1693
 DT Journal
 LA English
 AB Reaction between zirconium isopropoxide and various glycols in different stoichiometric ratios gave a series of alkylenedioxy diisopropoxide, bis(alkylenedioxy) as well as tris derivs. of Zr. The mol. complexities of some soluble glycoxides were determined in boiling C6H6; ir studies were also made.
 CC 23-7 (Aliphatic Compounds)
 Section cross-reference(s): 29
 ST zirconium glycol isopropanol complex
 IT Infrared spectra
 (of zirconium glycol complexes)
 IT Glycols, compounds
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (zirconium complexes and salts, preparation and ir spectra of)
 IT 28694-26-0P 52245-22-4P 52245-23-5P 52324-67-1P
 52324-69-3P 52359-38-3P 52359-40-7P
 52359-42-9P 52359-44-1P 52359-46-3P
 52366-25-3P 52543-98-3P 52543-99-4P 52544-00-0P 52589-02-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT 2171-98-4
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with glycols)
 IT 52324-67-1P 52324-69-3P 52359-38-3P


52359-40-7P 52359-42-9P 52359-44-1P
52359-46-3P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 52324-67-1 HCAPLUS
CN Zirconium, [1,2-ethanediolato(2-)-O]bis(2-propanolatao)-, homopolymer
(9CI) (CA INDEX NAME)

CM 1


CRN 52324-66-0
CMF C8 H18 O4 Zr
CCI CCS



RN 52324-69-3 HCAPLUS
CN Zirconium, [1,4-butanediolato(2-)-O]bis(2-propanolato)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1


CRN 52324-68-2
CMF C10 H22 O4 Zr
CCI CCS



RN 52359-38-3 HCAPLUS
CN Zirconium, [1,5-pentanediolato(2-)-O]bis(2-propanolato)-, homopolymer
(9CI) (CA INDEX NAME)

CM 1


CRN 52359-37-2
CMF C11 H24 O4 Zr
CCI CCS



RN 52359-40-7 HCAPLUS
CN Zirconium, [1,10-decanediolato(2-)-O]bis(2-propanolato)-, homopolymer
(9CI) (CA INDEX NAME)

CM 1


CRN 52359-39-4
CMF C16 H34 O4 Zr
CCI CCS



RN 52359-42-9 HCAPLUS
CN Zirconium, [2,3-butanediolato(2-)-O]bis(2-propanolato)-, homopolymer (9CI)
(CA INDEX NAME)

CM 1


CRN 52359-41-8
CMF C10 H22 O4 Zr
CCI CCS



RN 52359-44-1 HCAPLUS
CN Zirconium, [2-methyl-2,4-pentanediolato(2-)-O]bis(2-propanolato)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 52359-43-0
CMF C12 H26 O4 Zr
CCI CCS




RN 52359-46-3 HCAPLUS
CN Zirconium, [2,3-dimethyl-2,3-butanediolato(2-)-O]bis(2-propanolato)-, homopolymer (9CI) (CA INDEX NAME)

CM 1

CRN 52359-45-2
CMF C12 H26 O4 Zr


CCI CCS



L34 ANSWER 39 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1971:510005 HCAPLUS
 DN 75:110005
 TI Syntheses and reactions of organometallics. V. Reactions of tetrabutyl titanates with terephthalic acid
 AU Yoshino, Norio; Yoshino, Takeshi
 CS Meguro Cent. Res. Lab., Sci. Univ. Tokyo, Tokyo, Japan
 SO Kogyo Kagaku Zasshi (1971), 74(8), 1673-6
 CODEN: KGKZA7; ISSN: 0368-5462
 DT Journal
 LA Japanese
 AB Reaction of Ti(OBu)₄, Ti(OCHMeEt)₄, and Ti(OCMe₃)₄ with Q(CO₂H)₂ (Q = p-C₆H₄) gave [(BuO)₃TiO₂CQCO₂Ti(OBu)₂]₂O, [(EtMeCHO)₃TiO₂CQCO₂Ti(OCHMeEt)₂]₂O, and [-Ti(OCMe₃)₂O₂CQCO-]_n, resp. The 1:1 and 2:1 Ti(OCH₂CHMe₂)₄-Q(CO₂H)₂ reactions gave (Me₂CHCH₂O)₃TiO₂CQCO₂H and [(Me₂CHCH₂O)₃TiO₂C]₂Q, resp. The products showed 2 ir carboxyl absorptions at 1530-1570 and 1375-1385 cm⁻¹.
 CC 25 (Noncondensed Aromatic Compounds)
 ST titanate reaction terephthalic acid; titanium terephthalates IR spectrum
 IT Terephthalic acid, titanium complexes
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)
 IT **33679-19-5P** 33707-97-0P 33707-98-1P 33707-99-2P 33708-00-8P
 RL: **SPN (Synthetic preparation); PREP (Preparation)** (preparation of)
 IT 3087-39-6 3374-12-7 5593-70-4 7425-80-1
 RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of, with terephthalic acid)
 IT 100-21-0, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent) (with tetrabutyl titanates)
 IT **33679-19-5P**
 RL: **SPN (Synthetic preparation); PREP (Preparation)** (preparation of)
 RN 33679-19-5 HCAPLUS
 CN Titanium, di-tert-butoxy(terephthalato)-, polymers (8CI) (CA INDEX NAME)


CM 1

CRN 47309-61-5
 CMF C16 H22 O6 Ti
 CCI CCS




- L34 ANSWER 40 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1967:478574 HCAPLUS
 DN 67:78574
 TI Inorganic coordination polymers. IX. Titanium(IV) phosphinate polymers
 AU Dahl, Gerd H.; Block, Burton P.
 CS Pennsalt Chem. Corp., King of Prussia, PA, USA
 SO Inorganic Chemistry (1967), 6(8), 1439-43
 CODEN: INOCAJ; ISSN: 0020-1669
 DT Journal
 LA English
 AB cf. CA 64: 15986h. The following titanium(IV) phosphinates have been prepared, mainly by metathesis: (i) $\text{Ti}(\text{OR}'')_2(\text{OPRR}'\text{O})_2$ with R, R', and R'', resp., Me, Me, and Me or Bu; Me, Ph, and Et; Ph, Ph, and Et or iso-pr; (ii) $\text{TiCl}_2[\text{OPPh}_2\text{O}]_2$; (iii) $\text{TiO}(\text{OPRR}'\text{O})_2$ with R and R' both Me, both Ph, or one Me and one Ph; (iv) $\text{Ti}[\text{OPPh}_2\text{O}]_4$; and (v) $\text{Ti}(\text{BB})(\text{OPRR}'\text{O})_2$ with BB, R, and R', resp., $\text{C}_6\text{H}_4\text{O}_2$, Me or Ph, and Ph; $\text{C}_6\text{H}_4(\text{O})\text{COO}$, Me, and Ph; $\text{MeC}(\text{O}-)\text{CH}_2\text{CH}(\text{O}-)\text{Me}$, Ph, and Ph; $\text{OC}_3\text{H}_6\text{O}$, Me or Ph, and Ph; or $\text{PhP}(\text{O})_2\text{CH}_2\text{P}(\text{O})_2\text{Ph}$, Me, and Ph. $\text{TiCl}_2[\text{OPPh}_2\text{O}]_2$ was prepared by the thermal decomposition of $\text{TiCl}_4[\text{OPPh}_2\text{OEt}]_2$. Mol. weight data show that all of the Ti(IV) phosphinates made are at least trimers and that some have d.p. >20. Their ir spectra are consistent with phosphinate bridging, and it is probable that double phosphinate bridges are present in most of the polymers. The ir data also are in accord with Ti(O) rather than Ti-O-Ti bonding in the titanyl phosphinates. Thermogravimetric analysis shows that weight loss starts at as high as 450° in N for some of the polymers prepared. 25 references.
 CC 78 (Inorganic Chemicals and Reactions)
 ST TITANIUM PHOSPHINATE POLYMERS; PHOSPHINATE TI POLYMERS; POLYMERS TI PHOSPHINATE
 IT Spectra, infrared
 (of titanium phosphinate polymers)
 IT 1,3-Propanediol, titanium complexes
 2,4-Pentanediol, 2-methyl-, titanium complex
 Phosphinic acid, dimethyl-, titanium complexes
 Phosphinic acid, diphenyl-, ethyl ester, titanium complex
 Phosphinic acid, diphenyl-, titanium complexes
 Phosphinic acid, methylenebis[phenyl-, titanium complex
 Phosphinic acid, methylphenyl-, titanium complexes
 Pyrocatechol, titanium complexes
 Salicylic acid, titanium complex
 Titanium, bis(diphenylphosphinato)diethoxy-, polymers
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT Titanium, with phosphinic acid derivs.
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (spectra and thermal anal. of polymeric)


IT Phosphinic acid, derivs.
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (titanium complexes, spectra and thermal anal. of polymeric)
 IT 1733-55-7P 18583-30-7P 24980-87-8P 24980-88-9P 25639-87-6P
 27967-96-0P 30582-42-4P 30582-43-5P
 30582-44-6P 30582-45-7P 30582-46-8P 30699-51-5P
 30699-53-7P 30699-56-0P 30699-57-1P 30699-58-2P 30753-14-1P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT 30582-42-4P 30582-43-5P 30582-44-6P
 30582-45-7P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 30582-42-4 HCAPLUS
 CN Titanium, bis(dimethylphosphinato)dimethoxy-, polymers (8CI) (CA INDEX
 NAME)
 CM 1
 CRN 45154-24-3
 CMF C6 H18 O6 P2 Ti



RN 30582-43-5 HCAPLUS
 CN Titanium, dibutoxybis(dimethylphosphinato)-, polymers (8CI) (CA INDEX
 NAME)
 CM 1
 CRN 3283-13-4
 CMF C12 H30 O6 P2 Ti




RN 30582-44-6 HCAPLUS
 CN Titanium, diethoxybis(methylphenylphosphinato)-, polymers (8CI) (CA INDEX
 NAME)
 CM 1
 CRN 47526-07-8
 CMF C18 H26 O6 P2 Ti



RN 30582-45-7 HCAPLUS
CN Titanium, bis(diphenylphosphinato)diisopropoxy-, polymers (8CI) (CA INDEX NAME)

CM 1

CRN 47808-91-3
CMF C30 H34 O6 P2 Ti




L34 ANSWER 41 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1967:101224 HCAPLUS
DN 66:101224
TI Some reactions of alkoxy and chloroalkoxytitanium(IV) compounds with tertiary amines
AU Anagnostopoulos, Augoustinos K.
CS Natl. Tech. Univ., Athens, Greece
SO Chimika Chronika (1967), 32(1), 1-4
CODEN: CCRNAQ
DT Journal
LA English
AB The reaction of TiCl_3OEt (I), $\text{TiCl}_2(\text{OEt})_2$ (II), and $\text{TiCl}(\text{OEt})_3$ (III) with pyridine and Me_3N was studied. Thus, when I, II, and III and the amine were mixed in benzene, the complex precipitated as a yellow solid. The obtained complexes of I or II with the amine showed a stoichiometric ratio 1:2 whereas that of III had a molar ratio 1:1. No adduct was obtained between $\text{Ti}(\text{OEt})_4$ and the organic ligands.
CC 78 (Inorganic Chemicals and Reactions)
ST AMINES TI CHLOROALKOXY COMPDS; CHLOROALKOXY TI AMINES COMPDS; TITANIUM CHLOROALKOXY AMINES
IT Pyridine, titanium complexes
Trimethylamine, titanium complexes
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
IT 17070-25-6P 17142-10-8P 17142-12-0P 17142-13-1P 32056-71-6P 32056-72-7P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)
IT 3087-36-3P 3112-67-2P 3582-00-1P 3712-48-9P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, and reaction with tertiary amines)
IT 32056-71-6P 32056-72-7P
RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of)
 RN 32056-71-6 HCAPLUS
 CN Titanium, chlorotriethoxy(pyridine)-, polymers (8CI) (CA INDEX NAME)

CM 1


CRN 46753-64-4
 CMF C11 H20 Cl N O3 Ti
 CCI CCS



RN 32056-72-7 HCAPLUS
 CN Titanium, chlorotriethoxy(trimethylamine)-, polymers (8CI) (CA INDEX NAME)

CM 1

CRN 45152-32-7
 CMF C9 H24 Cl N O3 Ti
 CCI CCS



L34 ANSWER 42 OF 42 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1967:65910 HCAPLUS
 DN 66:65910
 TI Poly(diorganophosphonyltitanoxane) **oligomers**
 AU Andrianov, K. A.; Kuznetsova, I. K.; Bebchuk, T. S.; Kolchina, A. G.; Shaipova, I.
 CS Inst. Element Org. Compd., Moscow, USSR
 SO Izvestiya Akademii Nauk SSSR, Neorganicheskie Materialy (1966), 2(11), 1913-20
 CODEN: IVNMAW; ISSN: 0002-337X
 DT Journal
 LA Russian
 AB [RR1P(O)]2Ti(OBu)2 [R = R1 = Me (I), R = Me, R1 = PhO (III), R = R1 = Ph (IV), R = R1 = PhO (V)] were prepared by a known method (CA 61, 3143b) using


Ti(Obu)₄ and the corresponding phosphinic acid at 130-45°. By hydrolytic polycondensation of these compds. (CA 64, 3588a) the following 5 poly(diorganophosphonyltitanoxane) **oligomers** (VI-X) were prepared (monomer and mol. weight given): I, 3600; II, 6705; III, 4200; IV, 4400; V, 4000. Poly(butyl titanate) (XI), d.p. 12, containing 36.45% TiO₂, was obtained by the method of Suvorov and Spasskii, (CA 53, 20900e). A mixture of 7.95 g. XI and 6.61 g. dimethylphosphinic acid was heated at 150°/15 mm. to give 9.74 g. VI after the evolved BuOH ceased to distil. The poly(diorganophosphonyltitanoxane) **oligomers** (**oligomer** and mol. weight given) obtained by this method were: VI, 3000; VIII, 5100; IX, 5700; X, 6930. By heating VI-X to 450° their organic groups oxidized. Ti-O-P bonds broke at higher temperature (.apprx.800°) but the main chain of the polymers remained unchanged.

- CC 35 (Synthetic High Polymers)
 ST POLYPHOSPHONYLTITANOXANES; TITANOXANES POLYMERS; PHOSPHONYLTITANOXANES POLYMERS
 IT Titanoxanes
 RL: USES (Uses)
 (with phosphonyl or related phosphorus-containing groups, **oligomeric**)
 IT Phosphinic acid, diphenyl-, titanium complex
 RL: PREP (Preparation)
 (polymers)
 IT Phosphinic acid, methylphenyl-, titanium complexes, polymers
 Phosphonic acid, methyl-, monomethyl ester, titanium complexes polymers
 Phosphonic acid, methyl-, monophenyl ester, titanium complexes polymers
 Phosphoric acid, diphenyl ester, titanium complexes, polymers
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT 31156-06-6P 31157-04-7P 31157-05-8P
 31157-06-9P 31157-07-0P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT 31156-06-6P 31157-04-7P 31157-05-8P
 31157-06-9P 31157-07-0P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 31156-06-6 HCAPLUS
 CN Titanium, dibutoxybis(dihydrogen phosphato)-, tetraphenyl ester, polymers (8CI) (CA INDEX NAME)

CM 1

CRN 13135-29-0

CMF C32 H38 O10 P2 Ti




RN 31157-04-7 HCAPLUS

CN Titanium, dibutoxybis(hydrogen methylphosphonato)-, dimethyl ester, polymers (8CI) (CA INDEX NAME)

CM 1

CRN 45271-61-2

CMF C12 H30 O8 P2 Ti




RN 31157-05-8 HCAPLUS

CN Titanium, dibutoxybis(methylphenylphosphinato)-, polymers (8CI) (CA INDEX NAME)

CM 1

CRN 13091-11-7

CMF C22 H34 O6 P2 Ti




RN 31157-06-9 HCAPLUS

CN Titanium, dibutoxybis(hydrogen methylphosphonato)-, diphenyl ester, polymers (8CI) (CA INDEX NAME)

CM 1

CRN 13091-12-8

CMF C22 H34 O8 P2 Ti




RN 31157-07-0 HCAPLUS

CN Titanium, dibutoxybis(diphenylphosphinato)-, polymers (8CI) (CA INDEX NAME)

CM 1



CRN 1456-96-8

CMF C32 H38 O6 P2 Ti



=> => d que 138

L5 SCR 2043
L7 SCR 1918
L9 STR



VAR G1=5/7/10/17

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 20

STEREO ATTRIBUTES: NONE

L12 675 SEA FILE=REGISTRY SSS FUL L9 AND L5 AND L7
L13 232 SEA FILE=REGISTRY ABB=ON L12 AND 1-2/TI,ZR
L14 0 SEA FILE=REGISTRY ABB=ON L12 AND 1-2/HF
L15 232 SEA FILE=REGISTRY ABB=ON L13 OR L14
L36 10 SEA FILE=REGISTRY ABB=ON L12 AND 3-20/TI,ZR,HF
L37 10 SEA FILE=REGISTRY ABB=ON (L15 OR L36) NOT L15
L38 2 SEA FILE=HCAPLUS ABB=ON L37

3 or more Ti, 2 or HF

=> d 138 bib abs hitstr 1-2

L38 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 1997:273649 HCAPLUS
DN 126:252530
TI Heat-resistant printing ink compositions with good discoloration
prevention and viscosity stability
IN Inoe, Takahiko; Sakuma, Kazuo
PA Sakata Inks, Japan
SO Jpn. Kokai Tokkyo Koho, 7 pp.
CODEN: JKXXAF
DT Patent

KATHLEEN FULLER EIC 1700 REMSEN 4B28 571/272-2505

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 09031385	A2	19970204	JP 1995-183039	19950719
PRAI	JP 1995-183039		19950719		

OS MARPAT 126:252530

AB Title compns. contain pigments, OH-containing resins, organic solvents, and ≥ 1 Ti(OR1)(OR2)(OR3)(OR4) and (R5O)(R6O)(R7O)Ti1...cn tdot...OTin(OR2n+4)(OR2n+5)(OR2n+6) (R's = C3-18 alkyl, acyl; $\geq (2n + 2)/4$ of R's are C17H35CO; n = 1-10) as crosslinking agents. Thus, an ink comprising triisopropoxytitanium monostearate 0.1, Tipaque R 900 (TiO2) 30, Rheomide S 2600 (polyamide) 16, HIG 1/2 4, and a 60:30:10 mixture of PhNe/Me2CHOH/EtOAc 49.9 parts was applied on a polypropylene film to show transfer temperature 100-120°, good viscosity stability, and no yellowing after 7 days at 40°.

IT 188626-80-4P 188651-99-2P

RL: IMF (Industrial manufacture); PRP (Properties); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(heat-resistant and storage-stable cellulose-polyamide printing ink compns. containing titanium stearates crosslinking agents)


RN 188626-80-4 HCAPLUS

CN Cellulose, nitrate, polymer with octakis(octadecanoato-κO)tri-μ-oxobis(2-propanolato)tetratitanium and Rheomide S 2600 (9CI) (CA INDEX NAME)

CM 1

CRN 188598-78-9

CMF C150 H294 O21 Ti4



CM 2

CRN 188494-81-7

CMF Unspecified

CCI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 3

CRN 9004-70-0

CMF H N O3 . x Unspecified

CM 4

CRN 9004-34-6

CMF Unspecified


CCI PMS, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 5

CRN 7697-37-2

CMF H N O3



RN 188651-99-2 HCAPLUS

CN Cellulose, nitrate, polymer with Rheomide S 2600 and
tetrakis(octadecanoato-O)tri-μ-oxohexakis(2-propanolato)tetratitanium
(9CI) (CA INDEX NAME)

CM 1

CRN 188494-81-7

CMF Unspecified


CCI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 2

CRN 114068-94-9

CMF C90 H182 O17 Ti4



CM 3

CRN 9004-70-0

CMF H N O3 . x Unspecified

CM 4

CRN 9004-34-6

CMF Unspecified


CCI PMS, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 5

CRN 7697-37-2

CMF H N O3



L38 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1990:601373 HCAPLUS
 DN 113:201373
 TI Electrophotographic toners using crosslinked polymer as binder
 IN Kamitaki, Takaaki
 PA Canon K. K., Japan
 SO Jpn. Kokai Tokkyo Koho, 11 pp.
 CODEN: JKXXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 02106762	A2	19900418	JP 1988-259347	19881017
PRAI	JP 1988-259347		19881017		
AB	The title toners comprise a vinyl type copolymer having acid value				

≥5, which is crosslinked with a monomer or polymer
 $\text{RO}[\text{TiO}(\text{OR}_2)(\text{OR}_3)]_n\text{R}_1$ (I; R, R₁ = C₁-10 alkyl; R₂, R₃ = C₁-10 alkyl, COR₄;
 R₄ = C₁-30 alkyl, n = 1-15), or its mixture, and a coloring agent. The
 toners show good fixability, antioffset properties, flowability and
 provide clear color images without fog. Thus, a toner containing Bu
 acrylate-maleic acid-styrene copolymer, I (R = R₁ = R₂ = R₃ = iso-Pr, n =
 5), C.I. Pigment Yellow 17 was mixed with a ferrite carrier to give a
 developer.

IT 130056-03-0 130056-04-1 130058-89-8
 130085-54-0 130085-55-1 130085-56-2
 130262-56-5 130280-99-8

RL: USES (Uses)

(binder, electrophotog. color toner containing)

RN 130056-03-0 HCAPLUS


CN Titanium, docosabutoxynona-μ-oxodeca-, polymer with (2Z)-2-butenedioic
 acid, butyl 2-propenoate, diethenylbenzene and ethenylbenzene (9CI) (CA
 INDEX NAME)

CM 1


CRN 16789-17-6

CMF C88 H198 O31 Ti10

PAGE 1-A



PAGE 1-B




CM 2

CRN 1321-74-0


CMF C10 H10

CCI IDS



CM 3


CRN 141-32-2
CMF C7 H12 O2



CM 4


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



CM 5


CRN 100-42-5
CMF C8 H8



RN 130056-04-1 HCAPLUS
CN Titanium, hexabutoxytetrakis(octadecanoato-O)tri- μ -oxotetra-, polymer with (2Z)-2-butenedioic acid, butyl 2-propenoate, diethenylbenzene and ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 13052-05-6
CMF C96 H194 O17 Ti4




CM 2

CRN 1321-74-0

CMF C10 H10


CCI IDS



CM 3

CRN 141-32-2

CMF C7 H12 O2




CM 4

CRN 110-16-7

CMF C4 H4 O4


Double bond geometry as shown.



CM 5

CRN 100-42-5

CMF C8 H8




RN 130058-89-8 HCAPLUS

CN Titanium, hexadecabutoxyhexa- μ -oxohepta-, polymer with (2Z)-2-butenedioic acid, butyl 2-propenoate and ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 7441-93-2


CMF C64 H144 O22 Ti7



CM 2

CRN 141-32-2

CMF C7 H12 O2




CM 3

CRN 110-16-7

CMF C4 H4 O4


Double bond geometry as shown.



CM 4

CRN 100-42-5

CMF C8 H8




RN 130085-54-0 HCAPLUS

CN Titanium, tetra- μ -oxododecakis(2-propanolato)penta-, polymer with (2Z)-2-butenedioic acid, butyl 2-propenoate and ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 61224-30-4


CMF C36 H84 O16 Ti5



CM 2

CRN 141-32-2

CMF C7 H12 O2




CM 3

CRN 110-16-7


CMF C4 H4 O4

Double bond geometry as shown.



CM 4

CRN 100-42-5
CMF C8 H8




RN 130085-55-1 HCAPLUS
CN Titanium, docosabutoxynona-μ-oxodeca-, polymer with (2Z)-2-butenedioic acid, butyl 2-propenoate and ethenylbenzene (9CI) (CA INDEX NAME)


CM 1

CRN 16789-17-6
CMF C88 H198 O31 Ti10

PAGE 1-A




PAGE 1-B



CM 2


CRN 141-32-2
CMF C7 H12 O2



CM 3


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



CM 4


CRN 100-42-5
CMF C8 H8



RN 130085-56-2 HCAPLUS
CN Titanium, decabutoxytri-μ-oxotetra-, polymer with (2Z)-2-butenedioic acid, butyl 2-propenoate and ethenylbenzene (9CI) (CA INDEX NAME)


CM 1

CRN 7393-48-8
CMF C40 H90 O13 Ti4



CM 2


CRN 141-32-2
CMF C7 H12 O2



CM 3

CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



CM 4

CRN 100-42-5

CMF C8 H8




RN 130262-56-5 HCAPLUS

CN Titanium, hexabutoxytri- μ -oxotetrakis(pentanoato-O)tetra-, polymer with (2Z)-2-butenedioic acid, butyl 2-propenoate, diethenylbenzene and ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 130262-55-4

CMF C44 H90 O17 Ti4




CM 2

CRN 1321-74-0

CMF C10 H10


CCI IDS



CM 3

CRN 141-32-2

CMF C7 H12 O2




CM 4

CRN 110-16-7

CMF C4 H4 O4


Double bond geometry as shown.



CM 5

CRN 100-42-5

CMF C8 H8




RN 130280-99-8 HCAPLUS

CN Titanium, hexabutoxytri-μ-oxotetrakis(tridecanoato-O)tetra-, polymer with (2Z)-2-butenedioic acid, butyl 2-propenoate, diethenylbenzene and ethenylbenzene (9CI) (CA INDEX NAME)

CM 1

CRN 130280-98-7

CMF C76 H154 O17 Ti4




CM 2

CRN 1321-74-0

CMF C10 H10


CCI	IDS
-----	-----



CM 3

CRN 141-32-2

CMF C7 H12 O2




CM 4

CRN 110-16-7

CMF C4 H4 O4


Double bond geometry as shown.



CM 5

CRN 100-42-5

CMF C8 H8



=>

=>